EUROPEAN ORGANISATION FOR NUCLEAR RESEARCH (CERN)

arXiv:1304.6386v1 [hep-ex] 23 Apr 2013

CERN-PH-EP-2013-030
Submitted to: PRD

# A study of heavy flavor quarks produced in association with top quark pairs at $\sqrt{s} = 7$ TeV using the ATLAS detector

The ATLAS Collaboration

## Abstract

Using a sample of dilepton top-quark pair ($t\bar{t}$) candidate events, a study is performed of the production of top-quark pairs together with heavy-flavor (HF) quarks, $t\bar{t}+b+X$ or $t\bar{t}+c+X$, collectively referred to as $t\bar{t}$ + HF. The dataset used corresponds to an integrated luminosity of 4.7 $\mathrm{fb}^{-1}$ of proton–proton collisions at a center-of-mass energy of $7\ \mathrm{TeV}$ recorded by the ATLAS detector at the CERN Large Hadron Collider. The dominant background to $t\bar{t}$ + HF in this sample is $t\bar{t}$ + jet events in which a light-flavor jet is misidentified as a heavy-flavor jet. To determine the heavy and light-flavor content of the additional $b$-tagged jets, a fit to the vertex mass distribution of $b$-tagged jets in the sample is performed. The result for extra HF production is quoted as a ratio ($R_{\mathrm{HF}}$) of the cross section for $t\bar{t}$ + HF production to the cross section for $t\bar{t}$ production with at least one additional jet. Both cross sections are measured in a fiducial kinematic region within the ATLAS acceptance. $R_{\mathrm{HF}}$ is measured to be $[7.1 \pm 1.3\ (\text{stat.})\ ^{+5.3}_{-2.0}\ (\text{syst.})]$ % for jets with $p_{\mathrm{T}} > 25\ \mathrm{GeV}$ and $|\eta| < 2.5$, compared to the leading-order QCD Standard Model expectation of $[3.4 \pm 1.1]$ %.

# A study of heavy flavor quarks produced in association with top quark pairs at $\sqrt{s} = 7$ TeV using the ATLAS detector

(Dated: April 24, 2013)

Using a sample of dilepton top-quark pair ($t\bar{t}$) candidate events, a study is performed of the production of top-quark pairs together with heavy-flavor (HF) quarks, $t\bar{t}+b+X$ or $t\bar{t}+c+X$, collectively referred to as $t\bar{t}$ + HF. The dataset used corresponds to an integrated luminosity of 4.7 fb$^{-1}$ of proton–proton collisions at a center-of-mass energy of 7 TeV recorded by the ATLAS detector at the CERN Large Hadron Collider. The dominant background to $t\bar{t}$ + HF in this sample is $t\bar{t}$ + jet events in which a light-flavor jet is misidentified as a heavy-flavor jet. To determine the heavy and light-flavor content of the additional $b$-tagged jets, a fit to the vertex mass distribution of $b$-tagged jets in the sample is performed. The result for extra HF production is quoted as a ratio ($R_{\rm HF}$) of the cross section for $t\bar{t}$ + HF production to the cross section for $t\bar{t}$ production with at least one additional jet. Both cross sections are measured in a fiducial kinematic region within the ATLAS acceptance. $R_{\rm HF}$ is measured to be [$7.1 \pm 1.3$ (stat.) $^{+5.3}_{-2.0}$ (syst.)] % for jets with $p_{\rm T} > 25$ GeV and $|\eta| < 2.5$, compared to the leading-order QCD Standard Model expectation of [$3.4 \pm 1.1$] %.

PACS numbers: 14.65.Ha, 14.65.Fy, 14.65.Dw, 14.80.Bn, 13.85.Qk

## I. INTRODUCTION

In order to characterize the recently observed Higgs-like particle ($H$) [1, 2], quantities such as the Yukawa coupling of the top quark and the Higgs boson need to be measured with precision. For a Standard Model (SM) Higgs boson with a mass of 125 GeV, the decay mode with the largest branching ratio is $H \to b\bar{b}$. Thus, the channel with the highest yields for studying $t\bar{t}+H$ is $t\bar{t}+H$, $H \to b\bar{b}$. Production of top-quark pair ($t\bar{t}$) events featuring additional heavy-flavor (HF) $c$- and $b$-quarks, $t\bar{t}+b+X$ and $t\bar{t}+c+X$ (together referred to as $t\bar{t}$ + HF), is the main irreducible background to $t\bar{t}+H$, $H \to b\bar{b}$.

This paper describes a study of $t\bar{t}$ + HF production. Within the SM, heavy-flavor quark pairs, $c\bar{c}$ and $b\bar{b}$, are expected to be produced in association with $t\bar{t}$ mainly via gluon splitting from initial- and final-state radiation [3]. In addition, the heavy-flavor content of the proton could lead to $t\bar{t}$ final states with at least one additional HF quark, $t\bar{t}+c$ and $t\bar{t}+b$.

A study of $t\bar{t}$ + HF is useful to constrain models of heavy-flavor quark production at the scale of the top quark mass. This analysis is also of interest because of the many potential phenomena beyond the SM, such as composite Higgs models [4] and processes leading to final states with four top quarks [5–10] which could produce additional heavy-flavor quarks in the $t\bar{t}$ candidate sample.

The data analyzed correspond to an integrated luminosity of 4.7 fb$^{-1}$ at a center-of-mass energy of $\sqrt{s} = 7$ TeV produced at the Large Hadron Collider (LHC) and recorded in 2011 with the ATLAS detector.

This analysis is performed on $t\bar{t}$ dilepton candidate events in which each top quark decays via a $W$ boson to a neutrino and an isolated, charged lepton. The signal region is the subset of these events with three or more jets identified as containing HF quarks ($b$-tagged jets, or $b$-tags). However, jets without HF quarks may also pass this selection, so that care must be taken to properly identify the flavor composition of the $b$-tagged jets in the sample. Two of the three $b$-tagged jets from each event are presumed to be from the $b$-quarks from top quark decays, $t\bar{t} \to W^+bW^-\bar{b}$.

The measurement of $t\bar{t}$ + jet production is performed in dilepton $t\bar{t}$ candidate events with at least three total jets, at least two of which are $b$-tagged and assumed to come from top-quark decay. The dilepton signature is selected for this measurement because it is relatively background free and precludes a third $b$-tagged jet from a hadronically decaying $W$ boson, predominantly via $W \to s\bar{c}$. Therefore, all events in the signal sample have at least one additional $b$-tag either from a $c$- or $b$-quark jet, or from a light-quark or gluon jet that is misidentified as a $b$-tag. The latter are referred to as light-flavor or LF jets. To reduce systematic uncertainties, the result is quoted as a ratio, termed $R_{\rm HF}$, of the cross section for $t\bar{t}$ production with at least one additional HF jet to the cross section for $t\bar{t}$ production with at least one additional jet, regardless of flavor.

The paper is organized as follows. The ATLAS detector is briefly described in Sec. II. The Monte Carlo samples and data used in the analysis are described in Sec. III, followed by a description of the event selection and the definition of the fiducial phase space for the measurements in Sec. IV. In Sec. V expected signal and background yields are shown, and in Sec. VI a fit to the vertex mass distribution of $b$-tagged jets is described. A discussion of the systematic uncertainties of the measurement is presented in Sec. VII. In Sec. VIII results of the measurements are shown, followed by conclusions in Sec. IX.

## II. THE ATLAS DETECTOR

A detailed description of the ATLAS detector can be found elsewhere [11]. The innermost part of the ATLAS detector is a tracking system that is immersed in a 2 T axial magnetic field and that measures the momentum of charged particles. The inner detector comprises a silicon pixel detector, a silicon microstrip detector, and a transition radiation tracker, providing tracking capability within the pseudorapidity range $|\eta| < 2.5$ [12]. The tracking system is also used to identify the displaced secondary vertex that is formed by hadrons containing a $c$- or $b$-quark. Calorimeter systems, which measure the electron, photon, and hadron energies, reside outside the inner detector and cover the region $|\eta| < 4.9$. Outside the calorimeters is a muon spectrometer that is used to identify and measure the momentum of muons in an azimuthal magnetic field in the region $|\eta| < 2.7$. To reduce the data rate, a three-level trigger system selects the potentially interesting events that are recorded for offline analysis.

## III. DATA AND MONTE CARLO SAMPLES

The total integrated luminosity for the analyzed data sample is 4.7 fb$^{-1}$ at a center-of-mass energy of $\sqrt{s} = 7$ TeV. During the 2011 data-taking period the instantaneous luminosity of the LHC increased, causing the average number of simultaneous inelastic $pp$ interactions per beam crossing (pile-up) at the beginning of a $pp$ fill to increase from about 6 to 17. Multiple $pp$ interactions can occur either in the same bunch crossing as the primary vertex (termed 'in-time pile-up') or in an adjacent bunch crossing (termed 'out-of-time pile-up'). To account for these effects, all Monte Carlo simulated events are overlaid with additional inelastic events generated with the PYTHIA AMBT1 tune [13], and reweighted to match the distribution of the number of additional interactions per bunch crossing expected in the data.

Monte Carlo simulation is used to study signal and background processes. The simulated signal samples of top-quark events, namely inclusive $t\bar{t}$ processes, and dedicated $t\bar{t}$ + HF processes, are modeled using the multi-leg matrix-element generator ALPGEN v2.13 [14] with the CTEQ6L1 [15] parton distribution function (PDF) set. Parton showering and hadronization are performed by HERWIG v6.520 [16]. Effects due to the mass of the heavy-flavor quarks are included by default in ALPGEN. In these samples, additional heavy-flavor jets can also be produced in the parton shower. The MLM [14] parton–jet matching scheme is applied to avoid double counting of configurations generated by both the parton shower and the leading-order matrix-element calculation. In addition, overlap between HF quarks that originate from ME production and those that originate from the parton shower is removed.

To study the effect of different fixed-order calculations and matching schemes, samples of top-quark pair events are also generated using POWHEG and showered with HERWIG. In this sample the $t\bar{t}$ process is described at NLO, while the extra jets are described only at LO. For each sample showered with HERWIG, JIMMY v4.31 [17] and the AUET1 tune [18] are used to simulate the underlying event and to model various soft interactions. To assess the effect of different parton shower models, a sample is generated using ALPGEN v2.14 with the PYTHIA v6.425 [19] parton shower and hadronization, using the CTEQ5L PDF set [20]. The uncertainty associated with the CTEQ6L1 PDF set is evaluated with an envelope calculated using the uncertainty set from the NLO PDF MTSW2008nlo68cl [21], and an additional term to account for the difference between the central values of the LO and NLO calculations.

Initial- and final-state radiation (ISR/FSR) variations are studied using samples generated with ACERMC v2.0 [22] interfaced with PYTHIA v6.2. In these samples the parameters that control the amount of initial- and final-state radiation are set to points consistent with the PERUGIA Hard/Soft tune [23] in a range given by current experimental data [24].

In all samples the top quark mass is set to $m_t = 172.5$ GeV. The inclusive $t\bar{t}$ signal Monte Carlo samples are normalized to a predicted Standard Model $t\bar{t}$ cross section of $\sigma_{t\bar{t}} = 167^{+17}_{-18}$ pb for $m_t = 172.5$ GeV, obtained from approximate next-to-next-to-leading-order (NNLO) QCD calculations [25].

Background samples from the production of $W$ and $Z$ bosons are generated using the CTEQ6L1 PDFs with ALPGEN, which is interfaced to HERWIG for parton showering and hadronization; the ALPGEN matrix elements include diagrams with up to five additional partons. Separate samples of $W + b\bar{b}$ and $Z + b\bar{b}$ events are generated. The overlap between jets from parton-shower and matrix-element production of heavy-flavor in the $n$ and $n+1$ jet multiplicity samples is removed for the $W$+jets and $Z$+jets samples in the same manner as for the $t\bar{t}$ samples. Single top quark production is modeled using ACERMC in the $t$-channel and MC@NLO v3.41 [26] for the $Wt$- and $s$-channels. Diboson ($WW$, $WZ$, and $ZZ$) production is modeled using ALPGEN. Less than 0.5% of the expected yield in the $t\bar{t}$ + HF sample comes from the associated production of $t\bar{t} + W/Z$ and $t\bar{t} + H$, and these processes are thus neglected in this analysis.

The resulting generated samples are passed through a GEANT4 simulation [27] of the ATLAS detector [28]. Events are then reconstructed in the same manner as the data.

## IV. EVENT SELECTION AND DEFINITION OF THE FIDUCIAL PHASE SPACE

Events for the analysis are selected by at least one of the high-$p_{\mathrm{T}}$ single-electron or single-muon triggers, as described in Refs. [29] and [30]. The single-electron triggers are based on calorimeter energy deposits, shower shape and track quality constraints, while the single-muon triggers are based on a reconstructed track in the muon spectrometer that matches a track found in the inner detector. To ensure a final trigger rate that is compatible with the ATLAS data acquisition system, a minimum $p_{\mathrm{T}}$ threshold for the electron and muon triggers is used. The $p_{\mathrm{T}}$ threshold for the muon trigger is 18 GeV. For the electron trigger, the threshold is 20 GeV or 22 GeV, depending on the data-taking period due to varying LHC luminosity conditions.

Event reconstruction makes use of electrons ($e$), muons ($\mu$), jets, and missing transverse momentum ($E_{\mathrm{T}}^{\mathrm{miss}}$). Electrons are reconstructed by matching energy deposits in the electromagnetic calorimeter with tracks in the inner detector, and are required to have $p_{\mathrm{T}} > 25$ GeV and $|\eta| < 2.47$, excluding the transition region between the barrel and endcap calorimeters at $1.37 < |\eta| < 1.52$ [31]. Muons are reconstructed by matching track segments in the inner detector with tracks measured in the muon spectrometer, and are required to have $p_{\mathrm{T}} > 20$ GeV and $|\eta| < 2.5$.

Tight isolation cuts are applied to both electron and muon candidates to reduce the number of identified leptons ($e$, $\mu$) that come from non-prompt (non-$W/Z$) sources and from misidentified hadrons. For electrons, the $E_{\mathrm{T}}$ deposited in the calorimeter towers in a cone in $\eta$-$\phi$ space of radius $\Delta R = 0.2$ [32] around the electron position is summed up, and the $E_{\mathrm{T}}$ due to the electron is subtracted. The scalar sum of track transverse momenta in a cone of $\Delta R = 0.3$, excluding the electron, is also measured. Electron isolation is parameterized by these two measurements, as well as various calorimeter and track parameters and the number of reconstructed vertices in the event. For muons, the corresponding calorimeter isolation energy in a cone of $\Delta R = 0.2$ is required to be less than 4.0 GeV, and the scalar sum of track transverse momenta in a cone of $\Delta R = 0.3$ is required to be less than 2.5 GeV after subtraction of the muon $p_{\mathrm{T}}$.

Jets are reconstructed from clustered energy deposits in the calorimeters with the anti-$k_t$ [33] algorithm with a radius parameter $R = 0.4$ [34]. Jets selected for the analysis are required to have $p_{\mathrm{T}} > 25$ GeV and $|\eta| < 2.5$. In order to reduce the background from pile-up jets, additional selection criteria are applied on the fraction of the jet's $p_{\mathrm{T}}$ carried by tracks originating from the primary vertex.

The transverse momentum of neutrinos produced in the top-quark decays, measured as $E_{\mathrm{T}}^{\mathrm{miss}}$, is inferred by balancing the vector sum of all visible transverse momenta. Specifically, the $E_{\mathrm{T}}^{\mathrm{miss}}$ is constructed from the vector sum of all calorimeter cell energies contained in topological clusters [34] with $|\eta| < 4.5$, projected onto the transverse plane. Contributions to the $E_{\mathrm{T}}^{\mathrm{miss}}$ from the calorimeter cells associated with jets are taken at the corrected energy scale that is used for jets, while the contribution from cells associated with electrons is substituted by the calibrated transverse momentum of the electron. The contribution to the $E_{\mathrm{T}}^{\mathrm{miss}}$ from the $p_{\mathrm{T}}$ of muons passing the selection requirements is included.

The $b$-tagging algorithm [35, 36] employed for this analysis uses impact parameter and vertex position measurements from the inner detector as inputs to a neural network. The $b$-tagging efficiency was calibrated in a multi-jet data sample where at least one jet contains a muon [36]. The $c$-tagging efficiency was calibrated in a data sample with reconstructed $D^*$ mesons [37]. For this analysis, $b$-tagged jets are required to satisfy a selection that is 75% efficient for $b$-quark jets, approximately 30% efficient for $c$-quark jets, and rejects light-flavor jets by a factor of approximately 35 in simulated $t\bar{t}$ events. Three distinct subsets of this selection with different $b$-jet purity are used in the measurement of $\sigma_{\mathrm{fid}}(t\bar{t} + \mathrm{HF})$, as described in Section VI.

Dilepton $t\bar{t}$ candidate events are selected by requiring two opposite-sign leptons and at least two jets. To reduce the background from $Z/\gamma^*$ processes, events with like-flavor leptons are required to have $E_{\mathrm{T}}^{\mathrm{miss}}$ above 60 GeV and a dilepton invariant mass at least 10 GeV away from the $Z$ boson mass. For events with one electron and one muon, the scalar sum of the lepton and jet transverse momenta is required to be above 130 GeV to reduce the backgrounds from $Z/\gamma^* \to \tau^+\tau^-$ and $WW$, $WZ$, $ZZ$ processes. This set of selection criteria is termed the 'nominal' $t\bar{t}$ selection criteria. The measurement of $t\bar{t}$ + HF production is carried out in the subset of these events that contain three or more $b$-jets, whereas the measurement of $t\bar{t}$ production with at least one additional jet is performed in the subset with at least two $b$-jets (and at least three total jets).

Using the nominal selection criteria described above, data and Monte Carlo events are compared in three regions: dilepton $t\bar{t}$ candidate events with zero, one, or two $b$-tagged jets. In Fig. 1, the jet multiplicity distributions in the three regions are compared to Monte Carlo predictions, and good agreement is observed within systematic uncertainties.

To allow easier comparison of the analysis results to theoretical predictions, the measurement is made within a fiducial phase space. The fiducial volume is defined in Monte Carlo simulation by requiring two leptons ($e$, $\mu$) from the $t \to Wb \to \ell\nu b$ decays (including electrons and muons coming from $\tau \to \ell\nu\nu_\tau$) with $p_{\mathrm{T}} > 25$ $(20)$ GeV for $e$ ($\mu$), and $|\eta| < 2.5$ as well as three or more jets with $p_{\mathrm{T}} > 25$ GeV and $|\eta| < 2.5$.

Jets in the simulation are formed by considering all particles with a lifetime longer than 10 ps, excluding muons and neutrinos. Particles arising from pile-up interactions are not considered. For the determination



(a) 0 *b*-tagged jets (b) 1 *b*-tagged jet (c) 2 *b*-tagged jets

FIG. 1: Selected jet multiplicities observed using the nominal dilepton $t\bar{t}$ event selection and 0, 1, or 2 *b*-tagged jets for the sum of *ee*, $\mu\mu$ and $e\mu$ channels. Uncertainties are statistical and systematic. The last bin contains any overflow.

of the $t\bar{t}$ + HF fiducial cross section, $\sigma_{\text{fid}}(t\bar{t}+\text{HF})$, three or more jets are required to match a *b*- or *c*-quark (referred to as a HF jet). All simulated *b*- and *c*-quarks that were generated with $p_{\text{T}} > 5$ GeV are considered for the matching, and are required to satisfy $\Delta R$(quark, jet) $< 0.25$. Jets that overlap both *b*- and *c*-quarks are considered as *b*-jets. At least two HF jets (and at least three total jets) are required for the measurement of $t\bar{t}$ events with at least one additional jet, $\sigma_{\text{fid}}(t\bar{t}+j)$.

Each fiducial cross section is determined using measured quantities from the data, and an acceptance factor derived from the Monte Carlo simulation. The ratio of cross sections is defined as:

$$R_{\text{HF}} = \frac{\sigma_{\text{fid}}(t\bar{t}+\text{HF})}{\sigma_{\text{fid}}(t\bar{t}+j)}. \quad (1)$$

The fiducial cross section for $t\bar{t}$ + HF production is determined from:

$$\sigma_{\text{fid}}(t\bar{t}+\text{HF}) = \frac{N_{\text{HF}}}{\int \mathscr{L} dt \cdot \varepsilon}; \quad (2)$$

where $N_{\text{HF}}$ is the number, measured in data, of *b*-tags from HF jets, in addition to the two *b*-jets from top-quark decay. $\int \mathscr{L} dt$ is the integrated luminosity of the sample, and $\varepsilon$ is an acceptance factor taken from Monte Carlo simulation that converts the number of observed *b*-tags from additional HF jets to the number of events in the signal fiducial volume. The ALPGEN $t\bar{t}$ Monte Carlo simulation gives a value of $\varepsilon$ = 0.093 ± 0.004 (stat).

The denominator for $R_{\text{HF}}$, $\sigma_{\text{fid}}(t\bar{t}+j)$, is computed using the same prescription, where $N_{\text{HF}}$ is replaced by $N_j$, the yield of dilepton events with at least two *b*-tagged (and at least three total) jets in data and $\varepsilon$ is an acceptance factor, calculated in the ALPGEN $t\bar{t}$ Monte Carlo simulation to be 0.129 ± 0.001 (stat). The acceptance calculation for each fiducial cross section assumes that all *b*-tagged jets are from real HF quarks. Events with *b*-tagged jets from LF are treated as a background when computing both $N_{\text{HF}}$ and $N_j$.

The prediction for $R_{\text{HF}}$ from ALPGEN interfaced with HERWIG is 3.4%. A 33% uncertainty on the predicted cross section for $t\bar{t}+b\bar{b}$ is quoted in Ref. [3]. Since $t\bar{t}+c\bar{c}$ has a similar production mechanism and these two processes are predicted to dominate the smaller $t\bar{t}+b$ and $t\bar{t}+c$ contributions to $t\bar{t}$ + HF production, a 33% uncertainty is assigned to the predicted $t\bar{t}$ + HF cross section. A parton-level study using MADGRAPH5 v 1.47 [38] gives results consistent with the fraction predicted by ALPGEN. An approximate next-to-leading-order result obtained from a sample processed using the POWHEG v 1.01 [39] generator [40] is 5.2%.

## V. EXPECTED SIGNAL AND BACKGROUND YIELDS

Table I shows the number of events with $\geq$ 3 *b*-tagged jets expected from the Monte Carlo simulation, where the extra jet(s), not from the top-quark decays, comes from a heavy-flavor (HF) quark (signal), a light-flavor quark or a gluon (LF) faking a HF jet (main background), or one of the other sources of background. The number of observed events is also shown. While Monte Carlo simulation is used to estimate $t\bar{t}$ + HF rates and kinematic features, data-driven methods and Monte Carlo simulation are both used to estimate



(a) High purity *b*-tagged jets

(b) Medium purity *b*-tagged jets



(c) Low purity *b*-tagged jets

FIG. 2: Vertex mass distribution for *b*-tagged jets in data events satisfying the nominal dilepton $t\bar{t}$ event selection, with no cut on *b*-tagged jet multiplicity, are compared to Monte Carlo predictions. The *b*-tagged jets are defined separately for three *b*-tagging selections: high, medium, and low purity. High purity *b*-tags contain the highest purity of *b*-jets. The majority of medium *b*-tags are also from *b*-jets, but there is a higher fraction of *c*-jets and light-flavor jets. Low purity *b*-tags contain the highest fraction of light-flavor jets. By definition, jets with no reconstructed secondary decay vertex are assigned to the '$-1$ GeV' bin.

background processes, as detailed below.

Background processes containing real *b*-jets and leptons, such as single-top, $Z$ boson ($Z$+jets), and diboson ($WW$, $WZ$, and $ZZ$) production, are estimated using Monte Carlo simulation. Data-to-simulation corrections (scale factors) of the order of unity are applied to Monte Carlo simulation samples when calculating acceptances to account for observed differences in predicted and observed trigger, lepton reconstruction and jet-tagging efficiencies as well as jet and lepton energy scales and resolutions. Contributions from diboson production are found to be negligible.

A major source of background comes from $t\bar{t}$ events in which one or more of the *b*-tagged jets is from a mistagged LF jet. This background is estimated using Monte Carlo simulation for the measurement of $\sigma_{\rm fid}(t\bar{t}+j)$, as well as for the line '$t\bar{t}$ + LF' in Table I. However, in the measurement of $\sigma_{\rm fid}(t\bar{t}+{\rm HF})$, the final $t\bar{t}$ + LF background is determined by a fit to the vertex mass distribution of *b*-tagged jets in data, as explained in Section VI.

A second major source of background is from events in which at least one of the leptons is either non-prompt (arising from e.g. a photon conversion or *b*-quark decay) or is actually a misidentified hadron. Among others, $W$ + jets, multi-jet, and $t\bar{t}$ events with one hadronically decaying $W$ boson can contribute in this way. This contribution is determined by scaling the yield of events in the data with a pair of same-sign leptons by the ratio of opposite-sign to same-sign yields ($R_{\rm OS/SS}$) obtained in Monte Carlo simulation. The opposite-sign to same-sign ratio is measured separately for the three dilepton channels, and found to be 1.32 ± 0.10 (stat.) $^{+1.82}_{-1.32}$ (syst.) for $e^+e^-$ events, 1.15 ± 0.07 (stat.) ± 0.68 (syst.) for $\mu^+\mu^-$ events, and 1.16 ± 0.03 (stat.) ± 0.54 (syst.) for events with one electron and one muon. The systematic uncertainty takes into account the unknown relative mixture of fake-lepton mechanisms (photon conversions, *c*- and *b*-hadron decays, or misidentified hadrons) in the $R_{\rm OS/SS}$ calculation.

When evaluating systematic uncertainties in this background, only the variation leading to a larger background prediction is used. This method is validated in a control sample of dilepton events with less restrictive lepton identification and no isolation criteria.

TABLE I: Observed and expected number of events in the signal region (i.e. with 3 or more $b$-tagged jets). Uncertainties on individual components are statistical only. For the total expectation, systematic uncertainties are included. The dominant uncertainties on the total yield come from the jet energy scale, $b$-tagging efficiency, parton showering model, and initial/final-state radiation.

| Process | Number of events |
|---|---|
| $t\bar{t}$ | $106.7 \pm 3.4$ |
| Single top | $2.2 \pm 0.5$ |
| $Z$ + jets | $0.2 \pm 0.1$ |
| Fake leptons | $0\,^{+5}_{-0}$ |
| Total expectation | $109\,^{+6}_{-3} \pm 35$ |
| Data | 106 |

TABLE II: Summary of the $b$-tagging efficiencies for $b$-, $c$- and light-flavor jets for the three $b$-tagging selections used in the vertex mass template fit. The tight selection contains jets with a neural network output value above the 60% operating point. The medium selection contains jets between the 70% and 60% operating points. The loose selection contains jets between the 75% and 70% operating points.

| $b$-purity | $b$-jet efficiency | $c$-jet efficiency | light-flavor rejection |
|---|---|---|---|
| Tight | 60% | 17% | 230 |
| Medium | 10% | 7% | 100 |
| Low | 5% | 6% | 75 |

## VI. TEMPLATE FIT

Using all $b$-tagged jets in the sample with $\geq 3$ $b$-tagged jets, the fraction of heavy-flavor jets produced in association with $t\bar{t}$ is extracted by performing a binned maximum-likelihood fit on the displaced-vertex mass distribution, which is constructed from the inner detector tracks associated with the secondary vertex. A description of the algorithm used to construct this vertex may be found in Ref. [41]. While the presence of a displaced vertex is an indication that a jet contains a $b$-quark, a jet may be $b$-tagged even if no vertex is reconstructed. In this case, the vertex mass is undefined. These jets are assigned a mass value of '$-1$ GeV' and they are included in the fit to the displaced-vertex mass distribution. Keeping the events without a reconstructed vertex improves the discrimination between $c$- and light-flavor jets.

The distribution of vertex masses depends on jet $p_{\mathrm{T}}$; therefore the probability density functions are defined in two dimensions (jet $p_{\mathrm{T}}$ and vertex mass). While the most powerful discriminant for determining jet flavor is the vertex mass, the information added by the jet $p_{\mathrm{T}}$ fit is found to increase the overall sensitivity. The two-dimensional probability density function is termed a 'template' for the rest of this paper.

The fit is performed simultaneously in three *mutually exclusive* bins of $b$-jet purity, defined by different ranges of the $b$-tagging neural network output value. Certain values of the neural network output, termed 'operating points', are defined by the average $b$-jet selection efficiency corresponding to the applied selection. In this analysis, operating points of 60%, 70% and 75% efficiency are used to define the boundaries of the $b$-jet purity bins. The first bin uses only the tightest calibrated operating point (60%), and contains the highest-purity sample of $b$-jets (referred to as 'high purity'). The second bin (referred to as 'medium purity') requires a $b$-tag selection between the tightest and second tightest (70%) operating points, and contains a higher fraction of LF and $c$-jets. The final bin ('low purity') requires a $b$-tag selection between the second and third operating point (75%), and contains the highest fraction of LF jets. The $b$-tagging efficiencies for $b$-, $c$-, and light-flavor jets for each selection are given in Table II. All three classes of $b$-tag purity are used in the analysis so that a jet is considered '$b$-tagged' if it satisfies any of these criteria. By using the three classes of purity the discrimination between LF and $c$-jets is greatly improved compared to using only the vertex mass distribution. The vertex mass distributions for $b$-tagged jets in events passing the nominal $t\bar{t}$ selection criteria are shown in Fig. 2.

In the fit to determine the number of $t\bar{t}$ + HF events, templates for $b$-, $c$-, and LF jets for the three purity classes (tight, medium, and loose) are combined using the $b$-tagging efficiencies for each flavor of jet passing the relevant selection criteria.

The template fit has five components: $b$-jets from top-quark decays, non-$t\bar{t}$ background, and extra $b$-tagged jets from $b$-quarks, $c$-quarks, and light flavors/gluons. The template for $b$-jets from top quark decays is obtained from the data in $t\bar{t}$ dilepton events with exactly two $b$-tags, using a 3% background correction based on Monte Carlo simulation. In the fit, the normalization for this component is fixed assuming it contributes two of the three $b$-tags per observed event. Background events from non-dilepton $t\bar{t}$ processes are included using Monte Carlo simulation, and enter the fit with a fixed normalization. Monte Carlo simulation is used to obtain templates for additional $b$-jets, $c$-jets, and LF jets. After the application of all constraints, the fit has two floating parameters: the fraction of LF jets and the fraction of additional $b$-jets. The fraction of additional $c$-jets makes up the remainder. The statistical uncertainty on the fraction of additional $b$-jets is too large for a statistically significant measurement of $b$-jets vs. $c$-jets. However, the LF fraction is measured with sufficient precision to give a statistically significant measurement of the total HF quark content (defined as the fraction of additional $b$-tags not coming

TABLE III: Summary of systematic uncertainties on the measurement of the ratio of fiducial cross sections. Uncertainties are quoted separately for the full calculation, and for the portion of the calculation affecting only the acceptance factors. In the first case, systematic uncertainties are propagated through the fit result and acceptance calculation. In the latter, only variations in the acceptance calculation are considered.

| Source | % (full calculation) | % (A x $\varepsilon_{\mathrm{HF}}$) |
|---|---|---|
| Lepton reconstruction | 0.2 | 0.2 |
| Jet reconstruction and calibration | 11.2 | 5.4 |
| $E_{\mathrm{T}}^{\mathrm{miss}}$ reconstruction | 0.9 | 0.6 |
| Fake lepton estimate | 3.4 | 0.0 |
| Tagging efficiency for *b*-jets | 3.1 | 2.4 |
| Tagging efficiency for *c*-jets | 21.2 | 5.9 |
| Tagging efficiency for light jets | 8.4 | 0.2 |
| Fragmentation modeling | 1.2 | 7.3 |
| Generator variation | 4.2 | 3.4 |
| Initial- and final state radition | 2.5 | 2.2 |
| PDF uncertainties | 2.8 | 1.0 |
| Additional fit uncertainties | 6.6 | – |
| Fiducial flavor composition | $^{+69.0}_{-0.0}$ | $^{+69.0}_{-0.0}$ |
| Total systematic | $^{+74.2}_{-27.4}$ | $^{+69.9}_{-11.9}$ |

from LF jets). Monte Carlo pseudo-experiments show that the fitting method is unbiased in both best-fit values and estimated uncertainties.

## VII. SYSTEMATIC UNCERTAINTIES

Systematic uncertainties may affect the shape of the vertex mass templates as well as the acceptance factors. For the systematic uncertainties on the template shapes, the fit to the data is re-evaluated using new templates, derived by varying the relevant parameters by their systematic uncertainties, and a new fit to the data is performed. Major uncertainties that affect the fit are the jet energy scale and resolution, the jet *b*-tagging efficiency, the parton-shower and hadronization models, and the Monte Carlo event generators, though all sources of uncertainty are considered. Table III summarizes the total systematic uncertainty on $R_{\mathrm{HF}}$ as well as the systematic uncertainty on the acceptance calculation. The uncertainty on the fit result alone is dominated by the difference between these two.

The template for *b*-jets from the top quark decays is nominally taken from the data with exactly two *b*-tags. To account for kinematic biases due to additional heavy-flavor jets in the event, a systematic uncertainty on the shape of this template is assessed using Monte Carlo inclusive $t\bar{t}$ events with three or more *b*-tagged jets. The vertex mass of additional *b*- and *c*-jets is sensitive to the number of HF quarks contained in a jet (for instance, for $b\bar{b}$ or $c\bar{c}$ produced via gluon splitting). The dominant uncertainty from this effect would manifest itself as a difference in the shape of the template for additional *b*-jets. To assess this uncertainty, the template for additional *b*-jets is replaced by the template for *b*-jets from top-quark decays. By default, the normalization for the template for *b*-jets from the top quark decays is fixed to two per event. A systematic uncertainty on this normalization is assessed by using the predicted normalization from Monte Carlo simulation, which includes events with less than two *b*-jets from the top quark decays, due to *b*-tagging inefficiency. All these uncertainties are considered together in Table III as ‘additional fit uncertainties.’

Systematic uncertainties also affect the *b*-tagging and overall event reconstruction efficiency. Dominant sources of uncertainty for this category are: the *b*-tagging efficiency, the jet energy scale and resolution, the Monte Carlo event generator, and the flavor composition in the fiducial volume, as shown in Table III. Uncertainties on the lepton identification efficiency, $E_{\mathrm{T}}^{\mathrm{miss}}$ reconstruction, jet selection and energy resolution, ISR/FSR, the choice of the CTEQ6L1 PDF set, and the non-prompt/misidentified lepton estimate are negligible. Systematic uncertainties are evaluated on the full data sample, and are in agreement with expectations from Monte Carlo pseudo-experiments.

The uncertainty on fiducial flavor composition is estimated by using the fit result for the fraction of additional *b*-jets, as discussed in the next section.

## VIII. RESULTS

In the 106 events in the signal sample (with $\geq 3$ *b*-tagged jets), there are 325 *b*-tagged jets. After subtracting the non-$t\bar{t}$ background component, and the contribution from the tagged jets from the $t \to Wb$ decay, the number of additional *b*-tags is found to be 105 ± 18 (stat). As described above, a fit to the vertex mass distribution for all *b*-tags is performed to determine the flavor composition of these additional *b*-tagged jets. The result of the template fit to all 325 *b*-tagged jets is shown in Fig. 3. The weighted sums of all fit templates are shown, with contributions for extra HF and LF faking *b*-tagged jets shown separately. The fraction of b-tags from LF jets and additional b-jets is shown in Table IV; see below for an explanation of how these are derived. Using the fitted fraction of light-flavor jets of $(8 \pm 4)$%, $79 \pm 14$ (stat) of the 105 additional *b*-tags are attributed to HF jets. Using the fitted fraction of additional *b*-jets of $(-2 \pm 7)$%, $85 \pm 23$ (stat) of the HF jets are interpreted as charm. Using Eq. (2), and the quoted acceptance factor for $t\bar{t}$ + HF production, $\sigma_{\mathrm{fid}}(t\bar{t} + \mathrm{HF})$ is found to be $0.18 \pm 0.03$ (stat.) pb, with ALPGEN and HERWIG predicting a value of 0.10 pb.



FIG. 3: The result of the template fit (solid line) to the vertex mass distribution in data (points). Data are divided into three groups depending on the purity of $b$-jets passing each selection, as described in the text. The first three bins are the vertex mass distribution for the high-purity $b$-tags, the middle three bins for the medium-purity $b$-tags, and the last three bins for the low-purity $b$-tags. The best fit is shown as a sum (labeled as 'Combined fit', which includes the $b$-jets from top quark decay) with separate contributions from additional $b$- and $c$-jets (labeled as 'Heavy flavor'), and LF (labeled as 'Light flavor'). Within each purity category, the first bin contains jets with no secondary vertex. The middle bin contains jets with 'low' mass: less than 2 GeV. The third bin contains jets with 'high' mass: greater than 2 GeV.

In the data, 1656 events are observed to have at least three jets (and at least two $b$-tagged jets). The total background estimate, which is dominated by LF jets faking $b$-jets from top-quark decay, is found to be 112 $\pm$ 4 (stat.), leading to a background subtracted yield of 1544 $\pm$ 41 (stat.). Using Eq. (2), and the quoted acceptance factor for $t\bar{t}+j$ production, $\sigma_{\rm fid}(t\bar{t}+j)$ is found to be 2.55 $\pm$ 0.07 (stat.) pb, compared to 2.83 pb predicted by ALPGEN and HERWIG.

The fiducial acceptance factor used to correct the observed number of HF jets to the produced number of $t\bar{t}$ + HF events (and therefore the extracted value for $R_{\rm HF}$) depends on the exact HF composition. The ratio of $t\bar{t}$ events with additional $b$-quarks to $t\bar{t}$ events with additional $c$- or $b$-quarks is defined to be $F_{b/{\rm HF}} = (t\bar{t}+b+X)/(t\bar{t}+{\rm HF}+{\rm X})$. For example, a higher $R_{\rm HF}$ would be extracted if all of the HF content is assumed to be charm ($F_{b/{\rm HF}} = 0$), because $c$-jets are identified with lower efficiency than $b$-jets.

The simulation using ALPGEN interfaced with HERWIG predicts $F_{b/{\rm HF}} = 0.31$. MADGRAPH [38] predicts $F_{b/{\rm HF}} = 0.29$. Using the fraction of additional b-jets from the template fit, and the reconstruction efficiencies for $t\bar{t}+b$ and $t\bar{t}+c$ events from ALPGEN, $F_{b/{\rm HF}}$ is measured to be $-0.02$, with a 1$\sigma$ upward statistical fluctuation on the fit result giving $F_{b/{\rm HF}}$ = 0.09 and a 2$\sigma$ upward statistical fluctuation giving $F_{b/{\rm HF}}$ = 0.27 [42].

| Parameter | Fit result | Expectation from Monte Carlo |
|---|---|---|
| Additional $b$ | $(-2 \pm 7)$ % | 9 % |
| Light | $(8 \pm 4)$ % | 20 % |

TABLE IV: Fitted value for the fraction of $b$-tagged jets from additional $b$-jets and light-flavor jets out of all $b$-tagged jets for data and Monte Carlo simulation. The fraction of $b$-jets from top-quark decays is fixed to 65% and the fraction of $b$-jets due to other backgrounds is fixed to 2.5% for both data and simulation. The remaining $b$-tagged jets are attributed to $c$-jets and are 26.5 $\pm$ 8.1% in data and 3.5% in simulation. The expectation for each fit parameter and its uncertainty derived using Monte Carlo pseudo-experiments is included for a reference. All quoted errors are statistical. The systematic uncertainties on the Monte Carlo expectation due to the sources described in text are about 30%.

In Fig. 4, the extracted value for $R_{\rm HF}$ is shown as a function of the fraction of generated $t\bar{t}$ + HF events which contain a $b$-quark (vs. a $c$-quark). Theoretical predictions for $F_{b/{\rm HF}}$ are shown and compared with the value extracted from the fit. Statistical error bands on the extracted value of $F_{b/{\rm HF}}$ are included, and show that the fitted value is consistent with the theoretical predictions at the level of approximately 2$\sigma$ of the statistical uncertainty.

Ideally, a central value for $R_{\rm HF}$ would be quoted using the acceptance factor given by the best fit value for $F_{b/{\rm HF}}$ obtained from data. Due to large statistical uncertainty on the fraction of additional $b$-jets, the measurement is only able to resolve the sum of $b$-jets and $c$-jets ($R_{\rm HF}$). Therefore, the value of $F_{b/{\rm HF}}$ from ALPGEN is used to extract the central value for $R_{\rm HF}$, and the best fit value of $F_{b/{\rm HF}}$ from data is used to assign an asymmetric systematic uncertainty, defined as the difference in $R_{\rm HF}$ when $F_{b/{\rm HF}}$ is taken from ALPGEN and from the data. This is indicated in Table III as the 'fiducial flavor composition' uncertainty. This leads to a measured value of $R_{\rm HF} = [7.1 \pm 1.3\ ({\rm stat.})\ ^{+5.3}_{-2.0}\ ({\rm syst.})]\%$.

A leading-order theoretical prediction from ALPGEN interfaced with HERWIG gives a predicted value of $R_{\rm HF}$ of [3.4 $\pm$ 1.1]%, while an approximate next-to-leading-order prediction from POWHEG interfaced with HERWIG gives a predicted value of [5.2 $\pm$ 1.7]%. The POWHEG result is calculated at next-to-leading-order for the production of $t\bar{t}$ events, but extra jet activity is modeled only at leading-order.

## IX. CONCLUSIONS

A measurement has been presented of the ratio of the fiducial cross section for the production of $t\bar{t}$ events with at least one additional HF quark jet to that for the production of $t\bar{t}$ events with at least one additional jet, regardless of flavor, each with $p_{\rm T} > 25$ GeV and $|\eta| <$



FIG. 4: The ratio $R_{\mathrm{HF}}$ of fiducial cross sections as a function of $F_{b/\mathrm{HF}}$, the ratio of $t\bar{t}$ events with additional $b$-quarks to $t\bar{t}$ events with additional $c$- or $b$-quarks. Events with $b$-jets are reconstructed with a higher efficiency than events with $c$-jets, so the total reconstruction efficiency for $t\bar{t}$ + HF events depends on how the HF is divided between $b$- and $c$-jets. $F_{b/\mathrm{HF}}$ as predicted in ALPGEN and MADGRAPH are indicated with vertical dashed lines. The fitted fraction of additional $b$-jets is used to extract $F_{b/\mathrm{HF}}$ (solid vertical line) from the data. The statistical uncertainty from the fit is used to define $1\sigma$ and $2\sigma$ uncertainty bands.

2.5. A value of $R_{\mathrm{HF}} = [7.1 \pm 1.3\ (\mathrm{stat.})\ ^{+5.3}_{-2.0}\ (\mathrm{syst.})]\%$ is extracted using a fit to the vertex mass distribution for $b$-tagged jets in $t\bar{t}$ candidate events with three or more $b$-tagged jets. Using the ALPGEN Monte Carlo generator interfaced with HERWIG, a leading-order theoretical expectation of [3.4 ± 1.1 (syst.)]% is obtained. An approximate next-to-leading order calculation from POWHEG interfaced with HERWIG gives an expectation of [5.2 ± 1.7]%. Taking into account the total uncertainty on the measured value of $R_{\mathrm{HF}}$ and the theoretical uncertainty, the fitted result is consistent at the $1.4\sigma$ level with the leading-order Standard Model prediction from ALPGEN and at the $0.6\sigma$ level with the approximate next-to-leading order result from POWHEG.

## Acknowledgments

We thank CERN for the very successful operation of the LHC, as well as the support staff from our institutions without whom ATLAS could not be operated efficiently.

We acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWF, Austria; ANAS, Azerbaijan; SSTC, Belarus; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; CONICYT, Chile; CAS, MOST and NSFC, China; COLCIENCIAS, Colombia; MSMT CR, MPO CR and VSC CR, Czech Republic; DNRF, DNSRC and Lundbeck Foundation, Denmark; EPLANET and ERC, European Union; IN2P3-CNRS, CEA-DSM/IRFU, France; GNSF, Georgia; BMBF, DFG, HGF, MPG and AvH Foundation, Germany; GSRT, Greece; ISF, MINERVA, GIF, DIP and Benoziyo Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; FOM and NWO, Netherlands; RCN, Norway; MNiSW, Poland; GRICES and FCT, Portugal; MERYS (MECTS), Romania; MES of Russia and ROSATOM, Russian Federation; JINR; MSTD, Serbia; MSSR, Slovakia; ARRS and MVZT, Slovenia; DST/NRF, South Africa; MICINN, Spain; SRC and Wallenberg Foundation, Sweden; SER, SNSF and Cantons of Bern and Geneva, Switzerland; NSC, Taiwan; TAEK, Turkey; STFC, the Royal Society and Leverhulme Trust, United Kingdom; DOE and NSF, United States of America.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN and the ATLAS Tier-1 facilities at TRIUMF (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), ASGC (Taiwan), RAL (UK) and BNL (USA) and in the Tier-2 facilities worldwide.

[1] CMS Collaboration, Phys. Lett. B **716**, 30-61 (2012), arXiv:hep-ex/1207.7235 [hep-ex].

[2] ATLAS Collaboration, Phys. Lett. B **716**, 1-29 (2012), arXiv:hep-ex/1207.7214 [hep-ex].

[3] A. Bredenstein, A. Denner, S. Dittmaier, and S. Pozzorini, Phys. Rev. Lett. **103**, 012002 (2009), arXiv:hep-ph/0905.0110 [hep-ph].

[4] M. Montull and F. Riva, JHEP **1211**, 018 (2012), arXiv:hep-ph/1207.1716 [hep-ph].

[5] C. Degrande, J.-M. Gerard, C. Grojean, F. Maltoni, and G. Servant, JHEP **1103**, 125 (2011), arXiv:hep-ph/1010.6304 [hep-ph].

[6] H. Georgi, L. Kaplan, D. Morin, and A. Schenk, Phys. Rev. D **51**, 3888–3894 (1995).

[7] A. Pomarol and J. Serra, Phys. Rev. D **78**, 074026 (2008), arXiv:hep-ph/0806.3247 [hep-ph].

[8] B. Lillie, J. Shu, and T. M. Tait, JHEP **0804**, 087 (2008), arXiv:hep-ph/0712.3057 [hep-ph].

[9] K. Kumar, T. M. Tait, and R. Vega-Morales, JHEP **0905**, 022 (2009), arXiv:hep-ph/0901.3808 [hep-ph].

[10] M. Guchait, F. Mahmoudi, and K. Sridhar, Phys. Lett. B **666**, 347-351 (2008), arXiv:hep-ph/0710.2234 [hep-ph].

[11] ATLAS Collaboration, JINST **3**, S08003 (2008).

[12] ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the cen-

tre of the detector and the $z$-axis along the beam pipe. The $x$-axis points from the IP to the centre of the LHC ring, and the $y$-axis points upward. Cylindrical coordinates $(r,\phi)$ are used in the transverse plane, $\phi$ being the azimuthal angle around the beam pipe. The pseudorapidity is defined in terms of the polar angle $\theta$ as $\eta = -\ln\tan(\theta/2)$.

[13] ATLAS Collaboration, New J. Phys. **13**, 053033 (2011), arXiv:hep-ex/1012.5104 [hep-ex].

[14] M. L. Mangano, M. Moretti, F. Piccinini, R. Pittau, and A. D. Polosa, JHEP **0307**, 001 (2003), arXiv:hep-ph/0206293 [hep-ph].

[15] D. Stump et al., JHEP **0310**, 046 (2003), arXiv:hep-ph/0303013[hep-ph].

[16] G. Corcella et al., JHEP **0101**, 010 (2001), arXiv:hep-ph/0011363 [hep-ph].

[17] J. M. Butterworth, J. R. Forshaw, and M. H. Seymour, Z. Phys. C **72**, 637-646 (1996), arXiv:hep-ph/9601371 [hep-ph].

[18] ATLAS Collaboration, ATL-PHYS-PUB-2010-014, http://cds.cern.ch/record/1300244.

[19] T. Sjöstrand, S. Mrenna, and P. Skands, JHEP **05**, 026 (2006), arXiv:hep-ph/0603175 [hep-ph].

[20] H. L. Lai et al., Eur. Phys. J. C **12**, 375-392 (2000), arXiv:hep-ph/9903282 [hep-ph].

[21] A. Martin, W. Stirling, R. Thorne, and G. Watt, Eur. Phys. J. **C63**, 189-285 (2009), arXiv:hep-ph/0901.0002 [hep-ph].

[22] B. P. Kersevan and E. Richter-Was, Comput. Phys. Commun. **184**, 919-985 (2013).

[23] P. Z. Skands, Phys. Rev. D **82**, 074018 (2010), arXiv:hep-ph/1005.3457 [hep-ph].

[24] ATLAS Collaboration, Eur. Phys. J. C **72**, 2043 (2012), arXiv:hep-ex/1203.5015 [hep-ex].

[25] M. Aliev et al., Comput. Phys. Commun. **182**, 1034-1046 (2011), arXiv:hep-ph/1007.1327 [hep-ph].

[26] S. Frixione and B. R. Webber, JHEP **06**, 029 (2002), arXiv:hep-ph/0204244 [hep-ph].

[27] S. Agostinelli et al., Nucl. Instr. and Meth. **A506**, 250 (2003).

[28] ATLAS Collaboration, Eur. Phys. J. C **70**, 823-874 (2010), arXiv:hep-ex/1005.4568 [hep-ex].

[29] ATLAS Collaboration, Eur. Phys. J. C **72**, 1849 (2012), arXiv:hep-ex/1110.1530 [hep-ex].

[30] ATLAS Collaboration, ATLAS-CONF-2012-099, http://cds.cern.ch/record/1462601.

[31] ATLAS Collaboration, Eur. Phys. J. C **72**, 1909 (2012), arXiv:hep-ex/1110.3174 [hep-ex].

[32] $\Delta R = \sqrt{(\Delta\phi)^2 + (\Delta\eta)^2}$, where $\Delta\eta$ is the separation in $\eta$ between the quark and jet and $\Delta\phi$ is the separation in $\phi$.

[33] M. Cacciari, G. P. Salam, and G. Soyez, JHEP **0804**, 063 (2008), arXiv:hep-ph/0802.1189 [hep-ph].

[34] ATLAS Collaboration (ATLAS Collaboration), Eur. Phys. J. C **73**, 2304 (2013), arXiv:hep-ex/1112.6426 [hep-ex].

[35] ATLAS Collaboration, ATLAS-CONF-2012-040, https://cds.cern.ch/record/1435194.

[36] ATLAS Collaboration, ATLAS-CONF-2012-043, http://cdsweb.cern.ch/record/1435197.

[37] ATLAS Collaboration, ATLAS-CONF-2012-039, https://cds.cern.ch/record/1435193.

[38] F. Maltoni and T. Stelzer, JHEP **0302**, 027 (2003), arXiv:hep-ph/0208156 [hep-ph].

[39] S. Alioli, P. Nason, C. Oleari, and E. Re, JHEP **1006**, 043 (2010), arXiv:hep-ph/1002.2581 [hep-ph].

[40] S. Frixione, P. Nason, and G. Ridolfi, arXiv:hep-ph/0707.3081 [hep-ph]. Hvq patch 4 inputs were used.

[41] ATLAS Collaboration, ATLAS-CONF-2010-099, https://cds.cern.ch/record/1312145.

[42] Note that the uncertainties on $F_{b/\mathrm{HF}}$ are not normally distributed.

# The ATLAS Collaboration

G. Aad[48], T. Abajyan[21], B. Abbott[111], J. Abdallah[12], S. Abdel Khalek[115], A.A. Abdelalim[49], O. Abdinov[11], R. Aben[105], B. Abi[112], M. Abolins[88], O.S. AbouZeid[158], H. Abramowicz[153], H. Abreu[136], Y. Abulaiti[146a,146b], B.S. Acharya[164a,164b,a], L. Adamczyk[38a], D.L. Adams[25], T.N. Addy[56], J. Adelman[176], S. Adomeit[98], T. Adye[129], S. Aefsky[23], J.A. Aguilar-Saavedra[124b,b], M. Agustoni[17], S.P. Ahlen[22], F. Ahles[48], A. Ahmad[148], M. Ahsan[41], G. Aielli[133a,133b], T.P.A. Åkesson[79], G. Akimoto[155], A.V. Akimov[94], M.A. Alam[76], J. Albert[169], S. Albrand[55], M. Aleksa[30], I.N. Aleksandrov[64], F. Alessandria[89a], C. Alexa[26a], G. Alexander[153], G. Alexandre[49], T. Alexopoulos[10], M. Alhroob[164a,164c], M. Aliev[16], G. Alimonti[89a], J. Alison[31], B.M.M. Allbrooke[18], L.J. Allison[71], P.P. Allport[73], S.E. Allwood-Spiers[53], J. Almond[82], A. Aloisio[102a,102b], R. Alon[172], A. Alonso[36], F. Alonso[70], A. Altheimer[35], B. Alvarez Gonzalez[88], M.G. Alviggi[102a,102b], K. Amako[65], C. Amelung[23], V.V. Ammosov[128,*], S.P. Amor Dos Santos[124a], A. Amorim[124a,c], S. Amoroso[48], N. Amram[153], C. Anastopoulos[30], L.S. Ancu[17], N. Andari[30], T. Andeen[35], C.F. Anders[58b], G. Anders[58a], K.J. Anderson[31], A. Andreazza[89a,89b], V. Andrei[58a], X.S. Anduaga[70], S. Angelidakis[9], P. Anger[44], A. Angerami[35], F. Anghinolfi[30], A. Anisenkov[107], N. Anjos[124a], A. Annovi[47], A. Antonaki[9], M. Antonelli[47], A. Antonov[96], J. Antos[144b], F. Anulli[132a], M. Aoki[101], L. Aperio Bella[18], R. Apolle[118,d], G. Arabidze[88], I. Aracena[143], Y. Arai[65], A.T.H. Arce[45], S. Arfaoui[148], J-F. Arguin[93], S. Argyropoulos[42], E. Arik[19a,*], M. Arik[19a], A.J. Armbruster[87], O. Arnaez[81], V. Arnal[80], A. Artamonov[95], G. Artoni[132a,132b], D. Arutinov[21], S. Asai[155], S. Ask[28], B. Åsman[146a,146b], L. Asquith[6], K. Assamagan[25], R. Astalos[144a], A. Astbury[169], M. Atkinson[165], B. Auerbach[6], E. Auge[115], K. Augsten[126], M. Aurousseau[145a], G. Avolio[30], D. Axen[168], G. Azuelos[93,e], Y. Azuma[155], M.A. Baak[30], G. Baccaglioni[89a], C. Bacci[134a,134b], A.M. Bach[15], H. Bachacou[136], K. Bachas[154], M. Backes[49], M. Backhaus[21], J. Backus Mayes[143], E. Badescu[26a], P. Bagnaia[132a,132b], Y. Bai[33a], D.C. Bailey[158], T. Bain[35], J.T. Baines[129], O.K. Baker[176], S. Baker[77], P. Balek[127], F. Balli[136], E. Banas[39], P. Banerjee[93], Sw. Banerjee[173], D. Banfi[30], A. Bangert[150], V. Bansal[169], H.S. Bansil[18], L. Barak[172], S.P. Baranov[94], T. Barber[48], E.L. Barberio[86], D. Barberis[50a,50b], M. Barbero[83], D.Y. Bardin[64], T. Barillari[99], M. Barisonzi[175], T. Barklow[143], N. Barlow[28], B.M. Barnett[129], R.M. Barnett[15], A. Baroncelli[134a], G. Barone[49], A.J. Barr[118], F. Barreiro[80], J. Barreiro Guimarães da Costa[57], R. Bartoldus[143], A.E. Barton[71], V. Bartsch[149], A. Basye[165], R.L. Bates[53], L. Batkova[144a], J.R. Batley[28], A. Battaglia[17], M. Battistin[30], F. Bauer[136], H.S. Bawa[143,f], S. Beale[98], T. Beau[78], P.H. Beauchemin[161], R. Beccherle[50a], P. Bechtle[21], H.P. Beck[17], K. Becker[175], S. Becker[98], M. Beckingham[138], K.H. Becks[175], A.J. Beddall[19c], A. Beddall[19c], S. Bedikian[176], V.A. Bednyakov[64], C.P. Bee[83], L.J. Beemster[105], T.A. Beermann[175], M. Begel[25], C. Belanger-Champagne[85], P.J. Bell[49], W.H. Bell[49], G. Bella[153], L. Bellagamba[20a], A. Bellerive[29], M. Bellomo[30], A. Belloni[57], O. Beloborodova[107,g], K. Belotskiy[96], O. Beltramello[30], O. Benary[153], D. Benchekroun[135a], K. Bendtz[146a,146b], N. Benekos[165], Y. Benhammou[153], E. Benhar Noccioli[49], J.A. Benitez Garcia[159b], D.P. Benjamin[45], J.R. Bensinger[23], K. Benslama[130], S. Bentvelsen[105], D. Berge[30], E. Bergeaas Kuutmann[16], N. Berger[5], F. Berghaus[169], E. Berglund[105], J. Beringer[15], P. Bernat[77], R. Bernhard[48], C. Bernius[25], F.U. Bernlochner[169], T. Berry[76], C. Bertella[83], A. Bertin[20a,20b], F. Bertolucci[122a,122b], M.I. Besana[89a,89b], G.J. Besjes[104], N. Besson[136], S. Bethke[99], W. Bhimji[46], R.M. Bianchi[30], L. Bianchini[23], M. Bianco[72a,72b], O. Biebel[98], S.P. Bieniek[77], K. Bierwagen[54], J. Biesiada[15], M. Biglietti[134a], H. Bilokon[47], M. Bindi[20a,20b], S. Binet[115], A. Bingul[19c], C. Bini[132a,132b], C. Biscarat[178], B. Bittner[99], C.W. Black[150], J.E. Black[143], K.M. Black[22], R.E. Blair[6], J.-B. Blanchard[136], T. Blazek[144a], I. Bloch[42], C. Blocker[23], J. Blocki[39], W. Blum[81], U. Blumenschein[54], G.J. Bobbink[105], V.S. Bobrovnikov[107], S.S. Bocchetta[79], A. Bocci[45], C.R. Boddy[118], M. Boehler[48], J. Boek[175], T.T. Boek[175], N. Boelaert[36], J.A. Bogaerts[30], A. Bogdanchikov[107], A. Bogouch[90,*], C. Bohm[146a], J. Bohm[125], V. Boisvert[76], T. Bold[38a], V. Boldea[26a], N.M. Bolnet[136], M. Bomben[78], M. Bona[75], M. Boonekamp[136], S. Bordoni[78], C. Borer[17], A. Borisov[128], G. Borissov[71], I. Borjanovic[13a], M. Borri[82], S. Borroni[42], J. Bortfeldt[98], V. Bortolotto[134a,134b], K. Bos[105], D. Boscherini[20a], M. Bosman[12], H. Boterenbrood[105], J. Bouchami[93], J. Boudreau[123], E.V. Bouhova-Thacker[71], D. Boumediene[34], C. Bourdarios[115], N. Bousson[83], S. Boutouil[135d], A. Boveia[31], J. Boyd[30], I.R. Boyko[64], I. Bozovic-Jelisavcic[13b], J. Bracinik[18], P. Branchini[134a], A. Brandt[8], G. Brandt[118], O. Brandt[54], U. Bratzler[156], B. Brau[84], J.E. Brau[114], H.M. Braun[175,*], S.F. Brazzale[164a,164c], B. Brelier[158], J. Bremer[30], K. Brendlinger[120], R. Brenner[166], S. Bressler[172], T.M. Bristow[145b], D. Britton[53], F.M. Brochu[28], I. Brock[21], R. Brock[88], F. Broggi[89a], C. Bromberg[88], J. Bronner[99], G. Brooijmans[35], T. Brooks[76], W.K. Brooks[32b], G. Brown[82], P.A. Bruckman de Renstrom[39], D. Bruncko[144b], R. Bruneliere[48], S. Brunet[60], A. Bruni[20a], G. Bruni[20a], M. Bruschi[20a], L. Bryngemark[79], T. Buanes[14], Q. Buat[55], F. Bucci[49], J. Buchanan[118], P. Buchholz[141], R.M. Buckingham[118], A.G. Buckley[46], S.I. Buda[26a], I.A. Budagov[64], B. Budick[108], L. Bugge[117], O. Bulekov[96], A.C. Bundock[73], M. Bunse[43], T. Buran[117,*], H. Burckhart[30], S. Burdin[73], T. Burgess[14], S. Burke[129], E. Busato[34], V. Büscher[81], P. Bussey[53], C.P. Buszello[166], B. Butler[57], J.M. Butler[22], C.M. Buttar[53], J.M. Butterworth[77], W. Buttinger[28], M. Byszewski[30], S. Cabrera Urbán[167], D. Caforio[20a,20b], O. Cakir[4a],

P. Calafiura[15], G. Calderini[78], P. Calfayan[98], R. Calkins[106], L.P. Caloba[24a], R. Caloi[132a,132b], D. Calvet[34], S. Calvet[34], R. Camacho Toro[49], P. Camarri[133a,133b], D. Cameron[117], L.M. Caminada[15], R. Caminal Armadans[12], S. Campana[30], M. Campanelli[77], V. Canale[102a,102b], F. Canelli[31], A. Canepa[159a], J. Cantero[80], R. Cantrill[76], T. Cao[40], M.D.M. Capeans Garrido[30], I. Caprini[26a], M. Caprini[26a], D. Capriotti[99], M. Capua[37a,37b], R. Caputo[81], R. Cardarelli[133a], T. Carli[30], G. Carlino[102a], L. Carminati[89a,89b], S. Caron[104], E. Carquin[32b], G.D. Carrillo-Montoya[145b], A.A. Carter[75], J.R. Carter[28], J. Carvalho[124a,h], D. Casadei[108], M.P. Casado[12], M. Cascella[122a,122b], C. Caso[50a,50b,*], E. Castaneda-Miranda[173], A. Castelli[105], V. Castillo Gimenez[167], N.F. Castro[124a], G. Cataldi[72a], P. Catastini[57], A. Catinaccio[30], J.R. Catmore[30], A. Cattai[30], G. Cattani[133a,133b], S. Caughron[88], V. Cavaliere[165], P. Cavalleri[78], D. Cavalli[89a], M. Cavalli-Sforza[12], V. Cavasinni[122a,122b], F. Ceradini[134a,134b], B. Cerio[45], A.S. Cerqueira[24b], A. Cerri[15], L. Cerrito[75], F. Cerutti[15], A. Cervelli[17], S.A. Cetin[19b], A. Chafaq[135a], D. Chakraborty[106], I. Chalupkova[127], K. Chan[3], P. Chang[165], B. Chapleau[85], J.D. Chapman[28], J.W. Chapman[87], D.G. Charlton[18], V. Chavda[82], C.A. Chavez Barajas[30], S. Cheatham[85], S. Chekanov[6], S.V. Chekulaev[159a], G.A. Chelkov[64], M.A. Chelstowska[104], C. Chen[63], H. Chen[25], S. Chen[33c], X. Chen[173], Y. Chen[35], Y. Cheng[31], A. Cheplakov[64], R. Cherkaoui El Moursli[135e], V. Chernyatin[25], E. Cheu[7], S.L. Cheung[158], L. Chevalier[136], G. Chiefari[102a,102b], L. Chikovani[51a,*], J.T. Childers[30], A. Chilingarov[71], G. Chiodini[72a], A.S. Chisholm[18], R.T. Chislett[77], A. Chitan[26a], M.V. Chizhov[64], G. Choudalakis[31], S. Chouridou[9], B.K.B. Chow[98], I.A. Christidi[77], A. Christov[48], D. Chromek-Burckhart[30], M.L. Chu[151], J. Chudoba[125], G. Ciapetti[132a,132b], A.K. Ciftci[4a], R. Ciftci[4a], D. Cinca[62], V. Cindro[74], A. Ciocio[15], M. Cirilli[87], P. Cirkovic[13b], Z.H. Citron[172], M. Citterio[89a], M. Ciubancan[26a], A. Clark[49], P.J. Clark[46], R.N. Clarke[15], J.C. Clemens[83], B. Clement[55], C. Clement[146a,146b], Y. Coadou[83], M. Cobal[164a,164c], A. Coccaro[138], J. Cochran[63], L. Coffey[23], J.G. Cogan[143], J. Coggeshall[165], J. Colas[5], S. Cole[106], A.P. Colijn[105], N.J. Collins[18], C. Collins-Tooth[53], J. Collot[55], T. Colombo[119a,119b], G. Colon[84], G. Compostella[99], P. Conde Muiño[124a], E. Coniavitis[166], M.C. Conidi[12], S.M. Consonni[89a,89b], V. Consorti[48], S. Constantinescu[26a], C. Conta[119a,119b], G. Conti[57], F. Conventi[102a,i], M. Cooke[15], B.D. Cooper[77], A.M. Cooper-Sarkar[118], N.J. Cooper-Smith[76], K. Copic[15], T. Cornelissen[175], M. Corradi[20a], F. Corriveau[85,j], A. Corso-Radu[163], A. Cortes-Gonzalez[165], G. Cortiana[99], G. Costa[89a], M.J. Costa[167], D. Costanzo[139], D. Côté[30], G. Cottin[32a], L. Courneyea[169], G. Cowan[76], B.E. Cox[82], K. Cranmer[108], S. Crépé-Renaudin[55], F. Crescioli[78], M. Cristinziani[21], G. Crosetti[37a,37b], C.-M. Cuciuc[26a], C. Cuenca Almenar[176], T. Cuhadar Donszelmann[139], J. Cummings[176], M. Curatolo[47], C.J. Curtis[18], C. Cuthbert[150], H. Czirr[141], P. Czodrowski[44], Z. Czyczula[176], S. D'Auria[53], M. D'Onofrio[73], A. D'Orazio[132a,132b], M.J. Da Cunha Sargedas De Sousa[124a], C. Da Via[82], W. Dabrowski[38a], A. Dafinca[118], T. Dai[87], F. Dallaire[93], C. Dallapiccola[84], M. Dam[36], D.S. Damiani[137], A.C. Daniells[18], H.O. Danielsson[30], V. Dao[104], G. Darbo[50a], G.L. Darlea[26b], S, Darmora[8], J.A. Dassoulas[42], W. Davey[21], T. Davidek[127], N. Davidson[86], E. Davies[118,d], M. Davies[93], O. Davignon[78], A.R. Davison[77], Y. Davygora[58a], E. Dawe[142], I. Dawson[139], R.K. Daya-Ishmukhametova[23], K. De[8], R. de Asmundis[102a], S. De Castro[20a,20b], S. De Cecco[78], J. de Graat[98], N. De Groot[104], P. de Jong[105], C. De La Taille[115], H. De la Torre[80], F. De Lorenzi[63], L. De Nooij[105], D. De Pedis[132a], A. De Salvo[132a], U. De Sanctis[164a,164c], A. De Santo[149], J.B. De Vivie De Regie[115], G. De Zorzi[132a,132b], W.J. Dearnaley[71], R. Debbe[25], C. Debenedetti[46], B. Dechenaux[55], D.V. Dedovich[64], J. Degenhardt[120], J. Del Peso[80], T. Del Prete[122a,122b], T. Delemontex[55], M. Deliyergiyev[74], A. Dell'Acqua[30], L. Dell'Asta[22], M. Della Pietra[102a,i], D. della Volpe[102a,102b], M. Delmastro[5], P.A. Delsart[55], C. Deluca[105], S. Demers[176], M. Demichev[64], B. Demirkoz[12,k], S.P. Denisov[128], D. Derendarz[39], J.E. Derkaoui[135d], F. Derue[78], P. Dervan[73], K. Desch[21], P.O. Deviveiros[105], A. Dewhurst[129], B. DeWilde[148], S. Dhaliwal[105], R. Dhullipudi[25,l], A. Di Ciaccio[133a,133b], L. Di Ciaccio[5], C. Di Donato[102a,102b], A. Di Girolamo[30], B. Di Girolamo[30], S. Di Luise[134a,134b], A. Di Mattia[152], B. Di Micco[30], R. Di Nardo[47], A. Di Simone[133a,133b], R. Di Sipio[20a,20b], M.A. Diaz[32a], E.B. Diehl[87], J. Dietrich[42], T.A. Dietzsch[58a], S. Diglio[86], K. Dindar Yagci[40], J. Dingfelder[21], F. Dinut[26a], C. Dionisi[132a,132b], P. Dita[26a], S. Dita[26a], F. Dittus[30], F. Djama[83], T. Djobava[51b], M.A.B. do Vale[24c], A. Do Valle Wemans[124a,m], T.K.O. Doan[5], D. Dobos[30], E. Dobson[77], J. Dodd[35], C. Doglioni[49], T. Doherty[53], T. Dohmae[155], Y. Doi[65,*], J. Dolejsi[127], Z. Dolezal[127], B.A. Dolgoshein[96,*], M. Donadelli[24d], J. Donini[34], J. Dopke[30], A. Doria[102a], A. Dos Anjos[173], A. Dotti[122a,122b], M.T. Dova[70], A.T. Doyle[53], N. Dressnandt[120], M. Dris[10], J. Dubbert[87], S. Dube[15], E. Dubreuil[34], E. Duchovni[172], G. Duckeck[98], D. Duda[175], A. Dudarev[30], F. Dudziak[63], I.P. Duerdoth[82], L. Duflot[115], M-A. Dufour[85], L. Duguid[76], M. Dührssen[30], M. Dunford[58a], H. Duran Yildiz[4a], M. Düren[52], R. Duxfield[139], M. Dwuznik[38a], W.L. Ebenstein[45], J. Ebke[98], S. Eckweiler[81], W. Edson[2], C.A. Edwards[76], N.C. Edwards[53], W. Ehrenfeld[21], T. Eifert[143], G. Eigen[14], K. Einsweiler[15], E. Eisenhandler[75], T. Ekelof[166], M. El Kacimi[135c], M. Ellert[166], S. Elles[5], F. Ellinghaus[81], K. Ellis[75], N. Ellis[30], J. Elmsheuser[98], M. Elsing[30], D. Emeliyanov[129], Y. Enari[155], R. Engelmann[148], A. Engl[98], B. Epp[61], J. Erdmann[176], A. Ereditato[17], D. Eriksson[146a], J. Ernst[2], M. Ernst[25], J. Ernwein[136], D. Errede[165], S. Errede[165], E. Ertel[81], M. Escalier[115], H. Esch[43], C. Escobar[123], X. Espinal Curull[12], B. Esposito[47], F. Etienne[83], A.I. Etienvre[136], E. Etzion[153], D. Evangelakou[54], H. Evans[60],

L. Fabbri[20a,20b], C. Fabre[30], G. Facini[30], R.M. Fakhrutdinov[128], S. Falciano[132a], Y. Fang[33a], M. Fanti[89a,89b],
A. Farbin[8], A. Farilla[134a], J. Farley[148], T. Farooque[158], S. Farrell[163], S.M. Farrington[170], P. Farthouat[30],
F. Fassi[167], P. Fassnacht[30], D. Fassouliotis[9], B. Fatholahzadeh[158], A. Favareto[89a,89b], L. Fayard[115], P. Federic[144a],
O.L. Fedin[121], W. Fedorko[168], M. Fehling-Kaschek[48], L. Feligioni[83], C. Feng[33d], E.J. Feng[6], H. Feng[87],
A.B. Fenyuk[128], J. Ferencei[144b], W. Fernando[6], S. Ferrag[53], J. Ferrando[53], V. Ferrara[42], A. Ferrari[166],
P. Ferrari[105], R. Ferrari[119a], D.E. Ferreira de Lima[53], A. Ferrer[167], D. Ferrere[49], C. Ferretti[87],
A. Ferretto Parodi[50a,50b], M. Fiascaris[31], F. Fiedler[81], A. Filipčič[74], F. Filthaut[104], M. Fincke-Keeler[169],
K.D. Finelli[45], M.C.N. Fiolhais[124a,h], L. Fiorini[167], A. Firan[40], J. Fischer[175], M.J. Fisher[109], E.A. Fitzgerald[23],
M. Flechl[48], I. Fleck[141], P. Fleischmann[174], S. Fleischmann[175], G.T. Fletcher[139], G. Fletcher[75], T. Flick[175],
A. Floderus[79], L.R. Flores Castillo[173], A.C. Florez Bustos[159b], M.J. Flowerdew[99], T. Fonseca Martin[17],
A. Formica[136], A. Forti[82], D. Fortin[159a], D. Fournier[115], A.J. Fowler[45], H. Fox[71], P. Francavilla[12],
M. Franchini[20a,20b], S. Franchino[30], D. Francis[30], M. Franklin[57], S. Franz[30], M. Fraternali[119a,119b], S. Fratina[120],
S.T. French[28], C. Friedrich[42], F. Friedrich[44], D. Froidevaux[30], J.A. Frost[28], C. Fukunaga[156],
E. Fullana Torregrosa[127], B.G. Fulsom[143], J. Fuster[167], C. Gabaldon[30], O. Gabizon[172], A. Gabrielli[132a,132b],
S. Gadatsch[105], T. Gadfort[25], S. Gadomski[49], G. Gagliardi[50a,50b], P. Gagnon[60], C. Galea[98], B. Galhardo[124a],
E.J. Gallas[118], V. Gallo[17], B.J. Gallop[129], P. Gallus[126], K.K. Gan[109], R.P. Gandrajula[62], Y.S. Gao[143,f],
A. Gaponenko[15], F.M. Garay Walls[46], F. Garberson[176], C. García[167], J.E. García Navarro[167],
M. Garcia-Sciveres[15], R.W. Gardner[31], N. Garelli[143], V. Garonne[30], C. Gatti[47], G. Gaudio[119a], B. Gaur[141],
L. Gauthier[93], P. Gauzzi[132a,132b], I.L. Gavrilenko[94], C. Gay[168], G. Gaycken[21], E.N. Gazis[10], P. Ge[33d,n],
Z. Gecse[168], C.N.P. Gee[129], D.A.A. Geerts[105], Ch. Geich-Gimbel[21], K. Gellerstedt[146a,146b], C. Gemme[50a],
A. Gemmell[53], M.H. Genest[55], S. Gentile[132a,132b], M. George[54], S. George[76], D. Gerbaudo[163], P. Gerlach[175],
A. Gershon[153], C. Geweniger[58a], H. Ghazlane[135b], N. Ghodbane[34], B. Giacobbe[20a], S. Giagu[132a,132b],
V. Giangiobbe[12], F. Gianotti[30], B. Gibbard[25], A. Gibson[158], S.M. Gibson[30], M. Gilchriese[15], T.P.S. Gillam[28],
D. Gillberg[30], A.R. Gillman[129], D.M. Gingrich[3,e], N. Giokaris[9], M.P. Giordani[164c], R. Giordano[102a,102b],
F.M. Giorgi[16], P. Giovannini[99], P.F. Giraud[136], D. Giugni[89a], C. Giuliani[48], M. Giunta[93], B.K. Gjelsten[117],
L.K. Gladilin[97], C. Glasman[80], J. Glatzer[21], A. Glazov[42], G.L. Glonti[64], J.R. Goddard[75], J. Godfrey[142],
J. Godlewski[30], M. Goebel[42], C. Goeringer[81], S. Goldfarb[87], T. Golling[176], D. Golubkov[128], A. Gomes[124a,c],
L.S. Gomez Fajardo[42], R. Gonçalo[76], J. Goncalves Pinto Firmino Da Costa[42], L. Gonella[21], S. González de la
Hoz[167], G. Gonzalez Parra[12], M.L. Gonzalez Silva[27], S. Gonzalez-Sevilla[49], J.J. Goodson[148], L. Goossens[30],
T. Göpfert[44], P.A. Gorbounov[95], H.A. Gordon[25], I. Gorelov[103], G. Gorfine[175], B. Gorini[30], E. Gorini[72a,72b],
A. Gorišek[74], E. Gornicki[39], A.T. Goshaw[6], C. Gössling[43], M.I. Gostkin[64], I. Gough Eschrich[163],
M. Gouighri[135a], D. Goujdami[135c], M.P. Goulette[49], A.G. Goussiou[138], C. Goy[5], S. Gozpinar[23], L. Graber[54],
I. Grabowska-Bold[38a], P. Grafström[20a,20b], K-J. Grahn[42], E. Gramstad[117], F. Grancagnolo[72a], S. Grancagnolo[16],
V. Grassi[148], V. Gratchev[121], H.M. Gray[30], J.A. Gray[148], E. Graziani[134a], O.G. Grebenyuk[121], T. Greenshaw[73],
Z.D. Greenwood[25,l], K. Gregersen[36], I.M. Gregor[42], P. Grenier[143], J. Griffiths[8], N. Grigalashvili[64],
A.A. Grillo[137], K. Grimm[71], S. Grinstein[12], Ph. Gris[34], Y.V. Grishkevich[97], J.-F. Grivaz[115], J.P. Grohs[44],
A. Grohsjean[42], E. Gross[172], J. Grosse-Knetter[54], J. Groth-Jensen[172], K. Grybel[141], D. Guest[176], O. Gueta[153],
C. Guicheney[34], E. Guido[50a,50b], T. Guillemin[115], S. Guindon[54], U. Gul[53], J. Gunther[126], B. Guo[158], J. Guo[35],
P. Gutierrez[111], N. Guttman[153], O. Gutzwiller[173], C. Guyot[136], C. Gwenlan[118], C.B. Gwilliam[73], A. Haas[108],
S. Haas[30], C. Haber[15], H.K. Hadavand[8], P. Haefner[21], Z. Hajduk[39], H. Hakobyan[177], D. Hall[118], G. Halladjian[62],
K. Hamacher[175], P. Hamal[113], K. Hamano[86], M. Hamer[54], A. Hamilton[145b,o], S. Hamilton[161], L. Han[33b],
K. Hanagaki[116], K. Hanawa[160], M. Hance[15], C. Handel[81], P. Hanke[58a], J.R. Hansen[36], J.B. Hansen[36],
J.D. Hansen[36], P.H. Hansen[36], P. Hansson[143], K. Hara[160], A.S. Hard[173], T. Harenberg[175], S. Harkusha[90],
D. Harper[87], R.D. Harrington[46], O.M. Harris[138], J. Hartert[48], F. Hartjes[105], T. Haruyama[65], A. Harvey[56],
S. Hasegawa[101], Y. Hasegawa[140], S. Hassani[136], S. Haug[17], M. Hauschild[30], R. Hauser[88], M. Havranek[21],
C.M. Hawkes[18], R.J. Hawkings[30], A.D. Hawkins[79], T. Hayakawa[66], T. Hayashi[160], D. Hayden[76], C.P. Hays[118],
H.S. Hayward[73], S.J. Haywood[129], S.J. Head[18], T. Heck[81], V. Hedberg[79], L. Heelan[8], S. Heim[120],
B. Heinemann[15], S. Heisterkamp[36], L. Helary[22], C. Heller[98], M. Heller[30], S. Hellman[146a,146b], D. Hellmich[21],
C. Helsens[12], J. Henderson[118], R.C.W. Henderson[71], M. Henke[58a], A. Henrichs[176], A.M. Henriques Correia[30],
S. Henrot-Versille[115], C. Hensel[54], G.H. Herbert[16], C.M. Hernandez[8], Y. Hernández Jiménez[167], R. Herrberg[16],
G. Herten[48], R. Hertenberger[98], L. Hervas[30], G.G. Hesketh[77], N.P. Hessey[105], R. Hickling[75],
E. Higón-Rodriguez[167], J.C. Hill[28], K.H. Hiller[42], S. Hillert[21], S.J. Hillier[18], I. Hinchliffe[15], E. Hines[120],
M. Hirose[116], D. Hirschbuehl[175], J. Hobbs[148], N. Hod[105], M.C. Hodgkinson[139], P. Hodgson[139], A. Hoecker[30],
M.R. Hoeferkamp[103], J. Hoffman[40], D. Hoffmann[83], J.I. Hofmann[58a], M. Hohlfeld[81], S.O. Holmgren[146a],
J.L. Holzbauer[88], T.M. Hong[120], L. Hooft van Huysduynen[108], J-Y. Hostachy[55], S. Hou[151], A. Hoummada[135a],
J. Howard[118], J. Howarth[82], M. Hrabovsky[113], I. Hristova[16], J. Hrivnac[115], T. Hryn'ova[5], P.J. Hsu[81], S.-C. Hsu[138],
D. Hu[35], Z. Hubacek[30], F. Hubaut[83], F. Huegging[21], A. Huettmann[42], T.B. Huffman[118], E.W. Hughes[35],

G. Hughes[71], M. Huhtinen[30], T.A. Hülsing[81], M. Hurwitz[15], N. Huseynov[64,p], J. Huston[88], J. Huth[57],
G. Iacobucci[49], G. Iakovidis[10], M. Ibbotson[82], I. Ibragimov[141], L. Iconomidou-Fayard[115], J. Idarraga[115],
P. Iengo[102a], O. Igonkina[105], Y. Ikegami[65], K. Ikematsu[141], M. Ikeno[65], D. Iliadis[154], N. Ilic[158], T. Ince[99],
P. Ioannou[9], M. Iodice[134a], K. Iordanidou[9], V. Ippolito[132a,132b], A. Irles Quiles[167], C. Isaksson[166], M. Ishino[67],
M. Ishitsuka[157], R. Ishmukhametov[109], C. Issever[118], S. Istin[19a], A.V. Ivashin[128], W. Iwanski[39], H. Iwasaki[65],
J.M. Izen[41], V. Izzo[102a], B. Jackson[120], J.N. Jackson[73], P. Jackson[1], M.R. Jaekel[30], V. Jain[2], K. Jakobs[48],
S. Jakobsen[36], T. Jakoubek[125], J. Jakubek[126], D.O. Jamin[151], D.K. Jana[111], E. Jansen[77], H. Jansen[30], J. Janssen[21],
A. Jantsch[99], M. Janus[48], R.C. Jared[173], G. Jarlskog[79], L. Jeanty[57], G.-Y. Jeng[150], I. Jen-La Plante[31],
D. Jennens[86], P. Jenni[30], C. Jeske[170], P. Jež[36], S. Jézéquel[5], M.K. Jha[20a], H. Ji[173], W. Ji[81], J. Jia[148], Y. Jiang[33b],
M. Jimenez Belenguer[42], S. Jin[33a], O. Jinnouchi[157], M.D. Joergensen[36], D. Joffe[40], M. Johansen[146a,146b],
K.E. Johansson[146a], P. Johansson[139], S. Johnert[42], K.A. Johns[7], K. Jon-And[146a,146b], G. Jones[170], R.W.L. Jones[71],
T.J. Jones[73], C. Joram[30], P.M. Jorge[124a], K.D. Joshi[82], J. Jovicevic[147], T. Jovin[13b], X. Ju[173], C.A. Jung[43],
R.M. Jungst[30], P. Jussel[61], A. Juste Rozas[12], S. Kabana[17], M. Kaci[167], A. Kaczmarska[39], P. Kadlecik[36],
M. Kado[115], H. Kagan[109], M. Kagan[57], E. Kajomovitz[152], S. Kalinin[175], S. Kama[40], N. Kanaya[155], M. Kaneda[30],
S. Kaneti[28], T. Kanno[157], V.A. Kantserov[96], J. Kanzaki[65], B. Kaplan[108], A. Kapliy[31], D. Kar[53], M. Karagounis[21],
K. Karakostas[10], M. Karnevskiy[81], V. Kartvelishvili[71], A.N. Karyukhin[128], L. Kashif[173], G. Kasieczka[58b],
R.D. Kass[109], A. Kastanas[14], Y. Kataoka[155], J. Katzy[42], V. Kaushik[7], K. Kawagoe[69], T. Kawamoto[155],
G. Kawamura[54], S. Kazama[155], V.F. Kazanin[107], M.Y. Kazarinov[64], R. Keeler[169], P.T. Keener[120], R. Kehoe[40],
M. Keil[54], J.S. Keller[138], H. Keoshkerian[5], O. Kepka[125], B.P. Kerševan[74], S. Kersten[175], K. Kessoku[155],
J. Keung[158], F. Khalil-zada[11], H. Khandanyan[146a,146b], A. Khanov[112], D. Kharchenko[64], A. Khodinov[96],
A. Khomich[58a], T.J. Khoo[28], G. Khoriauli[21], A. Khoroshilov[175], V. Khovanskiy[95], E. Khramov[64], J. Khubua[51b],
H. Kim[146a,146b], S.H. Kim[160], N. Kimura[171], O. Kind[16], B.T. King[73], M. King[66], R.S.B. King[118], S.B. King[168],
J. Kirk[129], A.E. Kiryunin[99], T. Kishimoto[66], D. Kisielewska[38a], T. Kitamura[66], T. Kittelmann[123], K. Kiuchi[160],
E. Kladiva[144b], M. Klein[73], U. Klein[73], K. Kleinknecht[81], M. Klemetti[85], A. Klier[172], P. Klimek[146a,146b],
A. Klimentov[25], R. Klingenberg[43], J.A. Klinger[82], E.B. Klinkby[36], T. Klioutchnikova[30], P.F. Klok[104],
S. Klous[105], E.-E. Kluge[58a], P. Kluit[105], S. Kluth[99], E. Kneringer[61], E.B.F.G. Knoops[83], A. Knue[54], B.R. Ko[45],
T. Kobayashi[155], M. Kobel[44], M. Kocian[143], P. Kodys[127], S. Koenig[81], F. Koetsveld[104], P. Koevesarki[21],
T. Koffas[29], E. Koffeman[105], L.A. Kogan[118], S. Kohlmann[175], F. Kohn[54], Z. Kohout[126], T. Kohriki[65], T. Koi[143],
H. Kolanoski[16], I. Koletsou[89a], J. Koll[88], A.A. Komar[94], Y. Komori[155], T. Kondo[65], K. Köneke[30], A.C. König[104],
T. Kono[42,q], A.I. Kononov[48], R. Konoplich[108,r], N. Konstantinidis[77], R. Kopeliansky[152], S. Koperny[38a],
L. Köpke[81], A.K. Kopp[48], K. Korcyl[39], K. Kordas[154], A. Korn[46], A. Korol[107], I. Korolkov[12], E.V. Korolkova[139],
V.A. Korotkov[128], O. Kortner[99], S. Kortner[99], V.V. Kostyukhin[21], S. Kotov[99], V.M. Kotov[64], A. Kotwal[45],
C. Kourkoumelis[9], V. Kouskoura[154], A. Koutsman[159a], R. Kowalewski[169], T.Z. Kowalski[38a], W. Kozanecki[136],
A.S. Kozhin[128], V. Kral[126], V.A. Kramarenko[97], G. Kramberger[74], M.W. Krasny[78], A. Krasznahorkay[108],
J.K. Kraus[21], A. Kravchenko[25], S. Kreiss[108], J. Kretzschmar[73], K. Kreutzfeldt[52], N. Krieger[54], P. Krieger[158],
K. Kroeninger[54], H. Kroha[99], J. Kroll[120], J. Kroseberg[21], J. Krstic[13a], U. Kruchonak[64], H. Krüger[21], T. Kruker[17],
N. Krumnack[63], Z.V. Krumshteyn[64], M.K. Kruse[45], T. Kubota[86], S. Kuday[4a], S. Kuehn[48], A. Kugel[58c], T. Kuhl[42],
V. Kukhtin[64], Y. Kulchitsky[90], S. Kuleshov[32b], M. Kuna[78], J. Kunkle[120], A. Kupco[125], H. Kurashige[66],
M. Kurata[160], Y.A. Kurochkin[90], V. Kus[125], E.S. Kuwertz[147], M. Kuze[157], J. Kvita[142], R. Kwee[16], A. La Rosa[49],
L. La Rotonda[37a,37b], L. Labarga[80], S. Lablak[135a], C. Lacasta[167], F. Lacava[132a,132b], J. Lacey[29], H. Lacker[16],
D. Lacour[78], V.R. Lacuesta[167], E. Ladygin[64], R. Lafaye[5], B. Laforge[78], T. Lagouri[176], S. Lai[48], H. Laier[58a],
E. Laisne[55], L. Lambourne[77], C.L. Lampen[7], W. Lampl[7], E. Lançon[136], U. Landgraf[48], M.P.J. Landon[75],
V.S. Lang[58a], C. Lange[42], A.J. Lankford[163], F. Lanni[25], K. Lantzsch[30], A. Lanza[119a], S. Laplace[78], C. Lapoire[21],
J.F. Laporte[136], T. Lari[89a], A. Larner[118], M. Lassnig[30], P. Laurelli[47], V. Lavorini[37a,37b], W. Lavrijsen[15],
P. Laycock[73], O. Le Dortz[78], E. Le Guirriec[83], E. Le Menedeu[12], T. LeCompte[6], F. Ledroit-Guillon[55], H. Lee[105],
J.S.H. Lee[116], S.C. Lee[151], L. Lee[176], M. Lefebvre[169], M. Legendre[136], F. Legger[98], C. Leggett[15],
M. Lehmacher[21], G. Lehmann Miotto[30], A.G. Leister[176], M.A.L. Leite[24d], R. Leitner[127], D. Lellouch[172],
B. Lemmer[54], V. Lendermann[58a], K.J.C. Leney[145b], T. Lenz[105], G. Lenzen[175], B. Lenzi[30], K. Leonhardt[44],
S. Leontsinis[10], F. Lepold[58a], C. Leroy[93], J-R. Lessard[169], C.G. Lester[28], C.M. Lester[120], J. Levêque[5], D. Levin[87],
L.J. Levinson[172], A. Lewis[118], G.H. Lewis[108], A.M. Leyko[21], M. Leyton[16], B. Li[33b], B. Li[83], H. Li[148], H.L. Li[31],
S. Li[33b,s], X. Li[87], Z. Liang[118,t], H. Liao[34], B. Liberti[133a], P. Lichard[30], K. Lie[165], J. Liebal[21], W. Liebig[14],
C. Limbach[21], A. Limosani[86], M. Limper[62], S.C. Lin[151,u], F. Linde[105], B.E. Lindquist[148], J.T. Linnemann[88],
E. Lipeles[120], A. Lipniacka[14], M. Lisovyi[42], T.M. Liss[165], D. Lissauer[25], A. Lister[168], A.M. Litke[137], D. Liu[151],
J.B. Liu[33b], K. Liu[33b,v], L. Liu[87], M. Liu[33b], Y. Liu[33b], M. Livan[119a,119b], S.S.A. Livermore[118], A. Lleres[55],
J. Llorente Merino[80], S.L. Lloyd[75], F. Lo Sterzo[132a,132b], E. Lobodzinska[42], P. Loch[7], W.S. Lockman[137],
T. Loddenkoetter[21], F.K. Loebinger[82], A.E. Loevschall-Jensen[36], A. Loginov[176], C.W. Loh[168], T. Lohse[16],
K. Lohwasser[48], M. Lokajicek[125], V.P. Lombardo[5], R.E. Long[71], L. Lopes[124a], D. Lopez Mateos[57], J. Lorenz[98],

N. Lorenzo Martinez[115], M. Losada[162], P. Loscutoff[15], M.J. Losty[159a,*], X. Lou[41], A. Lounis[115],
K.F. Loureiro[162], J. Love[6], P.A. Love[71], A.J. Lowe[143,f], F. Lu[33a], H.J. Lubatti[138], C. Luci[132a,132b], A. Lucotte[55],
D. Ludwig[42], I. Ludwig[48], J. Ludwig[48], F. Luehring[60], W. Lukas[61], L. Luminari[132a], E. Lund[117], B. Lundberg[79],
J. Lundberg[146a,146b], O. Lundberg[146a,146b], B. Lund-Jensen[147], J. Lundquist[36], M. Lungwitz[81], D. Lynn[25],
R. Lysak[125], E. Lytken[79], H. Ma[25], L.L. Ma[173], G. Maccarrone[47], A. Macchiolo[99], B. Maček[74],
J. Machado Miguens[124a], D. Macina[30], R. Mackeprang[36], R. Madar[48], R.J. Madaras[15], H.J. Maddocks[71],
W.F. Mader[44], A. Madsen[166], M. Maeno[5], T. Maeno[25], L. Magnoni[163], E. Magradze[54], K. Mahboubi[48],
J. Mahlstedt[105], S. Mahmoud[73], G. Mahout[18], C. Maiani[136], C. Maidantchik[24a], A. Maio[124a,c], S. Majewski[25],
Y. Makida[65], N. Makovec[115], P. Mal[136,w], B. Malaescu[78], Pa. Malecki[39], P. Malecki[39], V.P. Maleev[121], F. Malek[55],
U. Mallik[62], D. Malon[6], C. Malone[143], S. Maltezos[10], V. Malyshev[107], S. Malyukov[30], J. Mamuzic[13b],
L. Mandelli[89a], I. Mandić[74], R. Mandrysch[62], J. Maneira[124a], A. Manfredini[99], L. Manhaes de Andrade Filho[24b],
J.A. Manjarres Ramos[136], A. Mann[98], P.M. Manning[137], A. Manousakis-Katsikakis[9], B. Mansoulie[136],
R. Mantifel[85], L. Mapelli[30], L. March[167], J.F. Marchand[29], F. Marchese[133a,133b], G. Marchiori[78],
M. Marcisovsky[125], C.P. Marino[169], F. Marroquim[24a], Z. Marshall[30], L.F. Marti[17], S. Marti-Garcia[167],
B. Martin[30], B. Martin[88], J.P. Martin[93], T.A. Martin[170], V.J. Martin[46], B. Martin dit Latour[49], H. Martinez[136],
M. Martinez[12], S. Martin-Haugh[149], A.C. Martyniuk[169], M. Marx[82], F. Marzano[132a], A. Marzin[111], L. Masetti[81],
T. Mashimo[155], R. Mashinistov[94], J. Masik[82], A.L. Maslennikov[107], I. Massa[20a,20b], N. Massol[5],
P. Mastrandrea[148], A. Mastroberardino[37a,37b], T. Masubuchi[155], H. Matsunaga[155], T. Matsushita[66], P. Mättig[175],
S. Mättig[42], C. Mattravers[118,d], J. Maurer[83], S.J. Maxfield[73], D.A. Maximov[107,g], R. Mazini[151], M. Mazur[21],
L. Mazzaferro[133a,133b], M. Mazzanti[89a], S.P. Mc Kee[87], A. McCarn[165], R.L. McCarthy[148], T.G. McCarthy[29],
N.A. McCubbin[129], K.W. McFarlane[56,*], J.A. Mcfayden[139], G. Mchedlidze[51b], T. Mclaughlan[18],
S.J. McMahon[129], R.A. McPherson[169,j], A. Meade[84], J. Mechnich[105], M. Mechtel[175], M. Medinnis[42],
S. Meehan[31], R. Meera-Lebbai[111], T. Meguro[116], S. Mehlhase[36], A. Mehta[73], K. Meier[58a], C. Meineck[98],
B. Meirose[79], C. Melachrinos[31], B.R. Mellado Garcia[173], F. Meloni[89a,89b], L. Mendoza Navas[162],
A. Mengarelli[20a,20b], S. Menke[99], E. Meoni[161], K.M. Mercurio[57], N. Meric[136], P. Mermod[49], L. Merola[102a,102b],
C. Meroni[89a], F.S. Merritt[31], H. Merritt[109], A. Messina[30,x], J. Metcalfe[25], A.S. Mete[163], C. Meyer[81], C. Meyer[31],
J-P. Meyer[136], J. Meyer[30], J. Meyer[54], S. Michal[30], R.P. Middleton[129], S. Migas[73], L. Mijović[136],
G. Mikenberg[172], M. Mikestikova[125], M. Mikuž[74], D.W. Miller[31], R.J. Miller[88], W.J. Mills[168], C. Mills[57],
A. Milov[172], D.A. Milstead[146a,146b], D. Milstein[172], A.A. Minaenko[128], M. Miñano Moya[167], I.A. Minashvili[64],
A.I. Mincer[108], B. Mindur[38a], M. Mineev[64], Y. Ming[173], L.M. Mir[12], G. Mirabelli[132a], J. Mitrevski[137],
V.A. Mitsou[167], S. Mitsui[65], P.S. Miyagawa[139], J.U. Mjörnmark[79], T. Moa[146a,146b], V. Moeller[28],
S. Mohapatra[148], W. Mohr[48], R. Moles-Valls[167], A. Molfetas[30], K. Mönig[42], C. Monini[55], J. Monk[36],
E. Monnier[83], J. Montejo Berlingen[12], F. Monticelli[70], S. Monzani[20a,20b], R.W. Moore[3], C. Mora Herrera[49],
A. Moraes[53], N. Morange[62], J. Morel[54], D. Moreno[81], M. Moreno Llácer[167], P. Morettini[50a], M. Morgenstern[44],
M. Morii[57], A.K. Morley[30], G. Mornacchi[30], J.D. Morris[75], L. Morvaj[101], N. Möser[21], H.G. Moser[99],
M. Mosidze[51b], J. Moss[109], R. Mount[143], E. Mountricha[10,y], S.V. Mouraviev[94,*], E.J.W. Moyse[84], R.D. Mudd[18],
F. Mueller[58a], J. Mueller[123], K. Mueller[21], T. Mueller[28], T. Mueller[81], D. Muenstermann[30], T.A. Müller[98],
Y. Munwes[153], J.A. Murillo Quijada[18], W.J. Murray[129], I. Mussche[105], E. Musto[152], A.G. Myagkov[128],
M. Myska[125], O. Nackenhorst[54], J. Nadal[12], K. Nagai[160], R. Nagai[157], Y. Nagai[83], K. Nagano[65], A. Nagarkar[109],
Y. Nagasaka[59], M. Nagel[99], A.M. Nairz[30], Y. Nakahama[30], K. Nakamura[65], T. Nakamura[155], I. Nakano[110],
H. Namasivayam[41], G. Nanava[21], A. Napier[161], R. Narayan[58b], M. Nash[77,d], T. Nattermann[21], T. Naumann[42],
G. Navarro[162], H.A. Neal[87], P.Yu. Nechaeva[94], T.J. Neep[82], A. Negri[119a,119b], G. Negri[30], M. Negrini[20a],
S. Nektarijevic[49], A. Nelson[163], T.K. Nelson[143], S. Nemecek[125], P. Nemethy[108], A.A. Nepomuceno[24a],
M. Nessi[30,z], M.S. Neubauer[165], M. Neumann[175], A. Neusiedl[81], R.M. Neves[108], P. Nevski[25], F.M. Newcomer[120],
P.R. Newman[18], D.H. Nguyen[6], V. Nguyen Thi Hong[136], R.B. Nickerson[118], R. Nicolaidou[136], B. Nicquevert[30],
F. Niedercorn[115], J. Nielsen[137], N. Nikiforou[35], A. Nikiforov[16], V. Nikolaenko[128], I. Nikolic-Audit[78],
K. Nikolics[49], K. Nikolopoulos[18], H. Nilsen[48], P. Nilsson[8], Y. Ninomiya[155], A. Nisati[132a], R. Nisius[99],
T. Nobe[157], L. Nodulman[6], M. Nomachi[116], I. Nomidis[154], S. Norberg[111], M. Nordberg[30], J. Novakova[127],
M. Nozaki[65], L. Nozka[113], A.-E. Nuncio-Quiroz[21], G. Nunes Hanninger[86], T. Nunnemann[98], E. Nurse[77],
B.J. O'Brien[46], D.C. O'Neil[142], V. O'Shea[53], L.B. Oakes[98], F.G. Oakham[29,e], H. Oberlack[99], J. Ocariz[78],
A. Ochi[66], M.I. Ochoa[77], S. Oda[69], S. Odaka[65], J. Odier[83], H. Ogren[60], A. Oh[82], S.H. Oh[45], C.C. Ohm[30],
T. Ohshima[101], W. Okamura[116], H. Okawa[25], Y. Okumura[31], T. Okuyama[155], A. Olariu[26a], A.G. Olchevski[64],
S.A. Olivares Pino[46], M. Oliveira[124a,h], D. Oliveira Damazio[25], E. Oliver Garcia[167], D. Olivito[120],
A. Olszewski[39], J. Olszowska[39], A. Onofre[124a,aa], P.U.E. Onyisi[31,ab], C.J. Oram[159a], M.J. Oreglia[31], Y. Oren[153],
D. Orestano[134a,134b], N. Orlando[72a,72b], C. Oropeza Barrera[53], R.S. Orr[158], B. Osculati[50a,50b], R. Ospanov[120],
C. Osuna[12], G. Otero y Garzon[27], J.P. Ottersbach[105], M. Ouchrif[135d], E.A. Ouellette[169], F. Ould-Saada[117],
A. Ouraou[136], Q. Ouyang[33a], A. Ovcharova[15], M. Owen[82], S. Owen[139], V.E. Ozcan[19a], N. Ozturk[8],

A. Pacheco Pages[12], C. Padilla Aranda[12], S. Pagan Griso[15], E. Paganis[139], C. Pahl[99], F. Paige[25], P. Pais[84], K. Pajchel[117], G. Palacino[159b], C.P. Paleari[7], S. Palestini[30], D. Pallin[34], A. Palma[124a], J.D. Palmer[18], Y.B. Pan[173], E. Panagiotopoulou[10], J.G. Panduro Vazquez[76], P. Pani[105], N. Panikashvili[87], S. Panitkin[25], D. Pantea[26a], A. Papadelis[146a], Th.D. Papadopoulou[10], A. Paramonov[6], D. Paredes Hernandez[34], W. Park[25,ac], M.A. Parker[28], F. Parodi[50a,50b], J.A. Parsons[35], U. Parzefall[48], S. Pashapour[54], E. Pasqualucci[132a], S. Passaggio[50a], A. Passeri[134a], F. Pastore[134a,134b,*], Fr. Pastore[76], G. Pásztor[49,ad], S. Pataraia[175], N.D. Patel[150], J.R. Pater[82], S. Patricelli[102a,102b], T. Pauly[30], J. Pearce[169], M. Pedersen[117], S. Pedraza Lopez[167], M.I. Pedraza Morales[173], S.V. Peleganchuk[107], D. Pelikan[166], H. Peng[33b], B. Penning[31], A. Penson[35], J. Penwell[60], T. Perez Cavalcanti[42], E. Perez Codina[159a], M.T. Pérez García-Estañ[167], V. Perez Reale[35], L. Perini[89a,89b], H. Pernegger[30], R. Perrino[72a], P. Perrodo[5], V.D. Peshekhonov[64], K. Peters[30], R.F.Y. Peters[54,ae], B.A. Petersen[30], J. Petersen[30], T.C. Petersen[36], E. Petit[5], A. Petridis[146a,146b], C. Petridou[154], E. Petrolo[132a], F. Petrucci[134a,134b], D. Petschull[42], M. Petteni[142], R. Pezoa[32b], A. Phan[86], P.W. Phillips[129], G. Piacquadio[143], E. Pianori[170], A. Picazio[49], E. Piccaro[75], M. Piccinini[20a,20b], S.M. Piec[42], R. Piegaia[27], D.T. Pignotti[109], J.E. Pilcher[31], A.D. Pilkington[82], J. Pina[124a,c], M. Pinamonti[164a,164c,af], A. Pinder[118], J.L. Pinfold[3], A. Pingel[36], B. Pinto[124a], C. Pizio[89a,89b], M.-A. Pleier[25], V. Pleskot[127], E. Plotnikova[64], P. Plucinski[146a,146b], A. Poblaguev[25], S. Poddar[58a], F. Podlyski[34], R. Poettgen[81], L. Poggioli[115], D. Pohl[21], M. Pohl[49], G. Polesello[119a], A. Policicchio[37a,37b], R. Polifka[158], A. Polini[20a], V. Polychronakos[25], D. Pomeroy[23], K. Pommès[30], L. Pontecorvo[132a], B.G. Pope[88], G.A. Popeneciu[26a], D.S. Popovic[13a], A. Poppleton[30], X. Portell Bueso[30], G.E. Pospelov[99], S. Pospisil[126], I.N. Potrap[64], C.J. Potter[149], C.T. Potter[114], G. Poulard[30], J. Poveda[60], V. Pozdnyakov[64], R. Prabhu[77], P. Pralavorio[83], A. Pranko[15], S. Prasad[30], R. Pravahan[25], S. Prell[63], K. Pretzl[17], D. Price[60], J. Price[73], L.E. Price[6], D. Prieur[123], M. Primavera[72a], M. Proissl[46], K. Prokofiev[108], F. Prokoshin[32b], E. Protopapadaki[136], S. Protopopescu[25], J. Proudfoot[6], X. Prudent[44], M. Przybycien[38a], H. Przysiezniak[5], S. Psoroulas[21], E. Ptacek[114], E. Pueschel[84], D. Puldon[148], M. Purohit[25,ac], P. Puzo[115], Y. Pylypchenko[62], J. Qian[87], A. Quadt[54], D.R. Quarrie[15], W.B. Quayle[173], D. Quilty[53], M. Raas[104], V. Radeka[25], V. Radescu[42], P. Radloff[114], F. Ragusa[89a,89b], G. Rahal[178], S. Rajagopalan[25], M. Rammensee[48], M. Rammes[141], A.S. Randle-Conde[40], K. Randrianarivony[29], C. Rangel-Smith[78], K. Rao[163], F. Rauscher[98], T.C. Rave[48], T. Ravenscroft[53], M. Raymond[30], A.L. Read[117], D.M. Rebuzzi[119a,119b], A. Redelbach[174], G. Redlinger[25], R. Reece[120], K. Reeves[41], A. Reinsch[114], I. Reisinger[43], M. Relich[163], C. Rembser[30], Z.L. Ren[151], A. Renaud[115], M. Rescigno[132a], S. Resconi[89a], B. Resende[136], P. Reznicek[98], R. Rezvani[158], R. Richter[99], E. Richter-Was[38b], M. Ridel[78], P. Rieck[16], M. Rijssenbeek[148], A. Rimoldi[119a,119b], L. Rinaldi[20a], R.R. Rios[40], E. Ritsch[61], I. Riu[12], G. Rivoltella[89a,89b], F. Rizatdinova[112], E. Rizvi[75], S.H. Robertson[85,j], A. Robichaud-Veronneau[118], D. Robinson[28], J.E.M. Robinson[82], A. Robson[53], J.G. Rocha de Lima[106], C. Roda[122a,122b], D. Roda Dos Santos[30], A. Roe[54], S. Roe[30], O. Røhne[117], S. Rolli[161], A. Romaniouk[96], M. Romano[20a,20b], G. Romeo[27], E. Romero Adam[167], N. Rompotis[138], L. Roos[78], E. Ros[167], S. Rosati[132a], K. Rosbach[49], A. Rose[149], M. Rose[76], G.A. Rosenbaum[158], P.L. Rosendahl[14], O. Rosenthal[141], L. Rosselet[49], V. Rossetti[12], E. Rossi[132a,132b], L.P. Rossi[50a], M. Rotaru[26a], I. Roth[172], J. Rothberg[138], D. Rousseau[115], C.R. Royon[136], A. Rozanov[83], Y. Rozen[152], X. Ruan[33a,ag], F. Rubbo[12], I. Rubinskiy[42], N. Ruckstuhl[105], V.I. Rud[97], C. Rudolph[44], M.S. Rudolph[158], F. Rühr[7], A. Ruiz-Martinez[63], L. Rumyantsev[64], Z. Rurikova[48], N.A. Rusakovich[64], A. Ruschke[98], J.P. Rutherfoord[7], N. Ruthmann[48], P. Ruzicka[125], Y.F. Ryabov[121], M. Rybar[127], G. Rybkin[115], N.C. Ryder[118], A.F. Saavedra[150], A. Saddique[3], I. Sadeh[153], H.F-W. Sadrozinski[137], R. Sadykov[64], F. Safai Tehrani[132a], H. Sakamoto[155], G. Salamanna[75], A. Salamon[133a], M. Saleem[111], D. Salek[30], D. Salihagic[99], A. Salnikov[143], J. Salt[167], B.M. Salvachua Ferrando[6], D. Salvatore[37a,37b], F. Salvatore[149], A. Salvucci[104], A. Salzburger[30], D. Sampsonidis[154], A. Sanchez[102a,102b], J. Sánchez[167], V. Sanchez Martinez[167], H. Sandaker[14], H.G. Sander[81], M.P. Sanders[98], M. Sandhoff[175], T. Sandoval[28], C. Sandoval[162], R. Sandstroem[99], D.P.C. Sankey[129], A. Sansoni[47], C. Santoni[34], R. Santonico[133a,133b], H. Santos[124a], I. Santoyo Castillo[149], K. Sapp[123], J.G. Saraiva[124a], T. Sarangi[173], E. Sarkisyan-Grinbaum[8], B. Sarrazin[21], F. Sarri[122a,122b], G. Sartisohn[175], O. Sasaki[65], Y. Sasaki[155], N. Sasao[67], I. Satsounkevitch[90], G. Sauvage[5,*], E. Sauvan[5], J.B. Sauvan[115], P. Savard[158,e], V. Savinov[123], D.O. Savu[30], C. Sawyer[118], L. Sawyer[25,l], D.H. Saxon[53], J. Saxon[120], C. Sbarra[20a], A. Sbrizzi[3], D.A. Scannicchio[163], M. Scarcella[150], J. Schaarschmidt[115], P. Schacht[99], D. Schaefer[120], A. Schaelicke[46], S. Schaepe[21], S. Schaetzel[58b], U. Schäfer[81], A.C. Schaffer[115], D. Schaile[98], R.D. Schamberger[148], V. Scharf[58a], V.A. Schegelsky[121], D. Scheirich[87], M. Schernau[163], M.I. Scherzer[35], C. Schiavi[50a,50b], J. Schieck[98], C. Schillo[48], M. Schioppa[37a,37b], S. Schlenker[30], E. Schmidt[48], K. Schmieden[21], C. Schmitt[81], C. Schmitt[98], S. Schmitt[58b], B. Schneider[17], Y.J. Schnellbach[73], U. Schnoor[44], L. Schoeffel[136], A. Schoening[58b], A.L.S. Schorlemmer[54], M. Schott[81], D. Schouten[159a], J. Schovancova[125], M. Schram[85], C. Schroeder[81], N. Schroer[58c], M.J. Schultens[21], J. Schultes[175], H.-C. Schultz-Coulon[58a], H. Schulz[16], M. Schumacher[48], B.A. Schumm[137], Ph. Schune[136], A. Schwartzman[143], Ph. Schwegler[99], Ph. Schwemling[136], R. Schwienhorst[88], J. Schwindling[136], T. Schwindt[21], M. Schwoerer[5], F.G. Sciacca[17], E. Scifo[115], G. Sciolla[23], W.G. Scott[129], F. Scutti[21], J. Searcy[87], G. Sedov[42],

E. Sedykh[121], S.C. Seidel[103], A. Seiden[137], F. Seifert[44], J.M. Seixas[24a], G. Sekhniaidze[102a], S.J. Sekula[40], K.E. Selbach[46], D.M. Seliverstov[121], G. Sellers[73], M. Seman[144b], N. Semprini-Cesari[20a,20b], C. Serfon[30], L. Serin[115], L. Serkin[54], T. Serre[83], R. Seuster[159a], H. Severini[111], A. Sfyrla[30], E. Shabalina[54], M. Shamim[114], L.Y. Shan[33a], J.T. Shank[22], Q.T. Shao[86], M. Shapiro[15], P.B. Shatalov[95], K. Shaw[164a,164c], P. Sherwood[77], S. Shimizu[101], M. Shimojima[100], T. Shin[56], M. Shiyakova[64], A. Shmeleva[94], M.J. Shochet[31], D. Short[118], S. Shrestha[63], E. Shulga[96], M.A. Shupe[7], P. Sicho[125], A. Sidoti[132a], F. Siegert[48], Dj. Sijacki[13a], O. Silbert[172], J. Silva[124a], Y. Silver[153], D. Silverstein[143], S.B. Silverstein[146a], V. Simak[126], O. Simard[5], Lj. Simic[13a], S. Simion[115], E. Simioni[81], B. Simmons[77], R. Simoniello[89a,89b], M. Simonyan[36], P. Sinervo[158], N.B. Sinev[114], V. Sipica[141], G. Siragusa[174], A. Sircar[25], A.N. Sisakyan[64,*], S.Yu. Sivoklokov[97], J. Sjölin[146a,146b], T.B. Sjursen[14], L.A. Skinnari[15], H.P. Skottowe[57], K. Skovpen[107], P. Skubic[111], M. Slater[18], T. Slavicek[126], K. Sliwa[161], V. Smakhtin[172], B.H. Smart[46], L. Smestad[117], S.Yu. Smirnov[96], Y. Smirnov[96], L.N. Smirnova[97,ah], O. Smirnova[79], K.M. Smith[53], M. Smizanska[71], K. Smolek[126], A.A. Snesarev[94], G. Snidero[75], J. Snow[111], S. Snyder[25], R. Sobie[169,j], J. Sodomka[126], A. Soffer[153], D.A. Soh[151,t], C.A. Solans[30], M. Solar[126], J. Solc[126], E.Yu. Soldatov[96], U. Soldevila[167], E. Solfaroli Camillocci[132a,132b], A.A. Solodkov[128], O.V. Solovyanov[128], V. Solovyev[121], N. Soni[1], A. Sood[15], V. Sopko[126], B. Sopko[126], M. Sosebee[8], R. Soualah[164a,164c], P. Soueid[93], A. Soukharev[107], D. South[42], S. Spagnolo[72a,72b], F. Spanò[76], R. Spighi[20a], G. Spigo[30], R. Spiwoks[30], M. Spousta[127,ai], T. Spreitzer[158], B. Spurlock[8], R.D. St. Denis[53], J. Stahlman[120], R. Stamen[58a], E. Stanecka[39], R.W. Stanek[6], C. Stanescu[134a], M. Stanescu-Bellu[42], M.M. Stanitzki[42], S. Stapnes[117], E.A. Starchenko[128], J. Stark[55], P. Staroba[125], P. Starovoitov[42], R. Staszewski[39], A. Staude[98], P. Stavina[144a,*], G. Steele[53], P. Steinbach[44], P. Steinberg[25], I. Stekl[126], B. Stelzer[142], H.J. Stelzer[88], O. Stelzer-Chilton[159a], H. Stenzel[52], S. Stern[99], G.A. Stewart[30], J.A. Stillings[21], M.C. Stockton[85], M. Stoebe[85], K. Stoerig[48], G. Stoicea[26a], S. Stonjek[99], A.R. Stradling[8], A. Straessner[44], J. Strandberg[147], S. Strandberg[146a,146b], A. Strandlie[117], M. Strang[109], E. Strauss[143], M. Strauss[111], P. Strizenec[144b], R. Ströhmer[174], D.M. Strom[114], J.A. Strong[76,*], R. Stroynowski[40], B. Stugu[14], I. Stumer[25,*], J. Stupak[148], P. Sturm[175], N.A. Styles[42], D. Su[143], HS. Subramania[3], R. Subramaniam[25], A. Succurro[12], Y. Sugaya[116], C. Suhr[106], M. Suk[126], V.V. Sulin[94], S. Sultansoy[4c], T. Sumida[67], X. Sun[55], J.E. Sundermann[48], K. Suruliz[139], G. Susinno[37a,37b], M.R. Sutton[149], Y. Suzuki[65], Y. Suzuki[66], M. Svatos[125], S. Swedish[168], M. Swiatlowski[143], I. Sykora[144a], T. Sykora[127], D. Ta[105], K. Tackmann[42], A. Taffard[163], R. Tafirout[159a], N. Taiblum[153], Y. Takahashi[101], H. Takai[25], R. Takashima[68], H. Takeda[66], T. Takeshita[140], Y. Takubo[65], M. Talby[83], A. Talyshev[107,g], J.Y.C. Tam[174], M.C. Tamsett[25], K.G. Tan[86], J. Tanaka[155], R. Tanaka[115], S. Tanaka[131], S. Tanaka[65], A.J. Tanasijczuk[142], K. Tani[66], N. Tannoury[83], S. Tapprogge[81], D. Tardif[158], S. Tarem[152], F. Tarrade[29], G.F. Tartarelli[89a], P. Tas[127], M. Tasevsky[125], E. Tassi[37a,37b], Y. Tayalati[135d], C. Taylor[77], F.E. Taylor[92], G.N. Taylor[86], W. Taylor[159b], M. Teinturier[115], F.A. Teischinger[30], M. Teixeira Dias Castanheira[75], P. Teixeira-Dias[76], K.K. Temming[48], H. Ten Kate[30], P.K. Teng[151], S. Terada[65], K. Terashi[155], J. Terron[80], M. Testa[47], R.J. Teuscher[158,j], J. Therhaag[21], T. Theveneaux-Pelzer[34], S. Thoma[48], J.P. Thomas[18], E.N. Thompson[35], P.D. Thompson[18], P.D. Thompson[158], A.S. Thompson[53], L.A. Thomsen[36], E. Thomson[120], M. Thomson[28], W.M. Thong[86], R.P. Thun[87,*], F. Tian[35], M.J. Tibbetts[15], T. Tic[125], V.O. Tikhomirov[94], Y.A. Tikhonov[107,g], S. Timoshenko[96], E. Tiouchichine[83], P. Tipton[176], S. Tisserant[83], T. Todorov[5], S. Todorova-Nova[161], B. Toggerson[163], J. Tojo[69], S. Tokár[144a], K. Tokushuku[65], K. Tollefson[88], L. Tomlinson[82], M. Tomoto[101], L. Tompkins[31], K. Toms[103], A. Tonoyan[14], C. Topfel[17], N.D. Topilin[64], E. Torrence[114], H. Torres[78], E. Torró Pastor[167], J. Toth[83,ad], F. Touchard[83], D.R. Tovey[139], H.L. Tran[115], T. Trefzger[174], L. Tremblet[30], A. Tricoli[30], I.M. Trigger[159a], S. Trincaz-Duvoid[78], M.F. Tripiana[70], N. Triplett[25], W. Trischuk[158], B. Trocmé[55], C. Troncon[89a], M. Trottier-McDonald[142], M. Trovatelli[134a,134b], P. True[88], M. Trzebinski[39], A. Trzupek[39], C. Tsarouchas[30], J.C-L. Tseng[118], M. Tsiakiris[105], P.V. Tsiareshka[90], D. Tsionou[136], G. Tsipolitis[10], S. Tsiskaridze[12], V. Tsiskaridze[48], E.G. Tskhadadze[51a], I.I. Tsukerman[95], V. Tsulaia[15], J.-W. Tsung[21], S. Tsuno[65], D. Tsybychev[148], A. Tua[139], A. Tudorache[26a], V. Tudorache[26a], J.M. Tuggle[31], A.N. Tuna[120], M. Turala[39], D. Turecek[126], I. Turk Cakir[4d], R. Turra[89a,89b], P.M. Tuts[35], A. Tykhonov[74], M. Tylmad[146a,146b], M. Tyndel[129], G. Tzanakos[9], K. Uchida[21], I. Ueda[155], R. Ueno[29], M. Ughetto[83], M. Ugland[14], M. Uhlenbrock[21], F. Ukegawa[160], G. Unal[30], A. Undrus[25], G. Unel[163], F.C. Ungaro[48], Y. Unno[65], D. Urbaniec[35], P. Urquijo[21], G. Usai[8], L. Vacavant[83], V. Vacek[126], B. Vachon[85], S. Vahsen[15], N. Valencic[105], S. Valentinetti[20a,20b], A. Valero[167], L. Valery[34], S. Valkar[127], E. Valladolid Gallego[167], S. Vallecorsa[152], J.A. Valls Ferrer[167], R. Van Berg[120], P.C. Van Der Deijl[105], R. van der Geer[105], H. van der Graaf[105], R. Van Der Leeuw[105], E. van der Poel[105], D. van der Ster[30], N. van Eldik[30], P. van Gemmeren[6], J. Van Nieuwkoop[142], I. van Vulpen[105], M. Vanadia[99], W. Vandelli[30], A. Vaniachine[6], P. Vankov[42], F. Vannucci[78], R. Vari[132a], E.W. Varnes[7], T. Varol[84], D. Varouchas[15], A. Vartapetian[8], K.E. Varvell[150], V.I. Vassilakopoulos[56], F. Vazeille[34], T. Vazquez Schroeder[54], F. Veloso[124a], S. Veneziano[132a], A. Ventura[72a,72b], D. Ventura[84], M. Venturi[48], N. Venturi[158], V. Vercesi[119a], M. Verducci[138], W. Verkerke[105], J.C. Vermeulen[105], A. Vest[44], M.C. Vetterli[142,e], I. Vichou[165], T. Vickey[145b,aj], O.E. Vickey Boeriu[145b], G.H.A. Viehhauser[118], S. Viel[168], M. Villa[20a,20b], M. Villaplana Perez[167], E. Vilucchi[47], M.G. Vincter[29], V.B. Vinogradov[64], J. Virzi[15], O. Vitells[172], M. Viti[42], I. Vivarelli[48], F. Vives Vaque[3], S. Vlachos[10], D. Vladoiu[98], M. Vlasak[126], A. Vogel[21], P. Vokac[126], G. Volpi[47], M. Volpi[86], G. Volpini[89a], H. von der Schmitt[99], H. von Radziewski[48], E. von Toerne[21], V. Vorobel[127], M. Vos[167], R. Voss[30], J.H. Vossebeld[73], N. Vranjes[136], M. Vranjes Milosavljevic[105], V. Vrba[125], M. Vreeswijk[105], T. Vu Anh[48], R. Vuillermet[30], I. Vukotic[31], Z. Vykydal[126], W. Wagner[175], P. Wagner[21], H. Wahlen[175], S. Wahrmund[44], J. Wakabayashi[101], S. Walch[87], J. Walder[71], R. Walker[98], W. Walkowiak[141], R. Wall[176], P. Waller[73], B. Walsh[176], C. Wang[45], H. Wang[173], H. Wang[40], J. Wang[151], J. Wang[33a], K. Wang[85], R. Wang[103], S.M. Wang[151], T. Wang[21], X. Wang[176], A. Warburton[85], C.P. Ward[28], D.R. Wardrope[77], M. Warsinsky[48], A. Washbrook[46], C. Wasicki[42], I. Watanabe[66], P.M. Watkins[18], A.T. Watson[18], I.J. Watson[150], M.F. Watson[18], G. Watts[138], S. Watts[82], A.T. Waugh[150], B.M. Waugh[77], M.S. Weber[17], J.S. Webster[31], A.R. Weidberg[118], P. Weigell[99], J. Weingarten[54], C. Weiser[48], P.S. Wells[30], T. Wenaus[25], D. Wendland[16], Z. Weng[151,t], T. Wengler[30], S. Wenig[30], N. Wermes[21], M. Werner[48], P. Werner[30], M. Werth[163], M. Wessels[58a], J. Wetter[161], K. Whalen[29], A. White[8], M.J. White[86], S. White[122a,122b], S.R. Whitehead[118], D. Whiteson[163], D. Whittington[60], D. Wicke[175], F.J. Wickens[129], W. Wiedenmann[173], M. Wielers[79], P. Wienemann[21], C. Wiglesworth[36], L.A.M. Wiik-Fuchs[21], P.A. Wijeratne[77], A. Wildauer[99], M.A. Wildt[42,q], I. Wilhelm[127], H.G. Wilkens[30], J.Z. Will[98], E. Williams[35], H.H. Williams[120], S. Williams[28], W. Willis[35,*], S. Willocq[84], J.A. Wilson[18], A. Wilson[87], I. Wingerter-Seez[5], S. Winkelmann[48], F. Winklmeier[30], M. Wittgen[143], T. Wittig[43], J. Wittkowski[98], S.J. Wollstadt[81], M.W. Wolter[39], H. Wolters[124a,h], W.C. Wong[41], G. Wooden[87], B.K. Wosiek[39], J. Wotschack[30], M.J. Woudstra[82], K.W. Wozniak[39], K. Wraight[53], M. Wright[53], B. Wrona[73], S.L. Wu[173], X. Wu[49], Y. Wu[87], E. Wulf[35], B.M. Wynne[46], S. Xella[36], M. Xiao[136], S. Xie[48], C. Xu[33b,y], D. Xu[33a], L. Xu[33b], B. Yabsley[150], S. Yacoob[145a,ak], M. Yamada[65], H. Yamaguchi[155], Y. Yamaguchi[155], A. Yamamoto[65], K. Yamamoto[63], S. Yamamoto[155], T. Yamamura[155], T. Yamanaka[155], K. Yamauchi[101], T. Yamazaki[155], Y. Yamazaki[66], Z. Yan[22], H. Yang[33e], H. Yang[173], U.K. Yang[82], Y. Yang[109], Z. Yang[146a,146b], S. Yanush[91], L. Yao[33a], Y. Yasu[65], E. Yatsenko[42], K.H. Yau Wong[21], J. Ye[40], S. Ye[25], A.L. Yen[57], E. Yildirim[42], M. Yilmaz[4b], R. Yoosoofmiya[123], K. Yorita[171], R. Yoshida[6], K. Yoshihara[155], C. Young[143], C.J.S. Young[118], S. Youssef[22], D. Yu[25], D.R. Yu[15], J. Yu[8], J. Yu[112], L. Yuan[66], A. Yurkewicz[106], B. Zabinski[39], R. Zaidan[62], A.M. Zaitsev[128], S. Zambito[23], L. Zanello[132a,132b], D. Zanzi[99], A. Zaytsev[25], C. Zeitnitz[175], M. Zeman[126], A. Zemla[39], O. Zenin[128], T. Ženiš[144a], D. Zerwas[115], G. Zevi della Porta[57], D. Zhang[87], H. Zhang[88], J. Zhang[6], L. Zhang[151], X. Zhang[33d], Z. Zhang[115], Z. Zhao[33b], A. Zhemchugov[64], J. Zhong[118], B. Zhou[87], N. Zhou[163], Y. Zhou[151], C.G. Zhu[33d], H. Zhu[42], J. Zhu[87], Y. Zhu[33b], X. Zhuang[33a], V. Zhuravlov[99], A. Zibell[98], D. Zieminska[60], N.I. Zimin[64], R. Zimmermann[21], S. Zimmermann[21], S. Zimmermann[48], Z. Zinonos[122a,122b], M. Ziolkowski[141], R. Zitoun[5], L. Živković[35], V.V. Zmouchko[128,*], G. Zobernig[173], A. Zoccoli[20a,20b], M. zur Nedden[16], V. Zutshi[106], L. Zwalinski[30].

[1] School of Chemistry and Physics, University of Adelaide, Adelaide, Australia
[2] Physics Department, SUNY Albany, Albany NY, United States of America
[3] Department of Physics, University of Alberta, Edmonton AB, Canada
[4] (a)Department of Physics, Ankara University, Ankara; (b)Department of Physics, Gazi University, Ankara; (c)Division of Physics, TOBB University of Economics and Technology, Ankara; (d)Turkish Atomic Energy Authority, Ankara, Turkey
[5] LAPP, CNRS/IN2P3 and Université de Savoie, Annecy-le-Vieux, France
[6] High Energy Physics Division, Argonne National Laboratory, Argonne IL, United States of America
[7] Department of Physics, University of Arizona, Tucson AZ, United States of America
[8] Department of Physics, The University of Texas at Arlington, Arlington TX, United States of America
[9] Physics Department, University of Athens, Athens, Greece
[10] Physics Department, National Technical University of Athens, Zografou, Greece
[11] Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan
[12] Institut de Física d'Altes Energies and Departament de Física de la Universitat Autònoma de Barcelona and ICREA, Barcelona, Spain
[13] (a)Institute of Physics, University of Belgrade, Belgrade; (b)Vinca Institute of Nuclear Sciences, University of Belgrade, Belgrade, Serbia
[14] Department for Physics and Technology, University of Bergen, Bergen, Norway
[15] Physics Division, Lawrence Berkeley National Laboratory and University of California, Berkeley CA, United States of America
[16] Department of Physics, Humboldt University, Berlin, Germany
[17] Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern, Switzerland

[18] School of Physics and Astronomy, University of Birmingham, Birmingham, United Kingdom
[19] (a)Department of Physics, Bogazici University, Istanbul; (b)Division of Physics, Dogus University, Istanbul; (c)Department of Physics Engineering, Gaziantep University, Gaziantep, Turkey
[20] (a)INFN Sezione di Bologna; (b)Dipartimento di Fisica, Università di Bologna, Bologna, Italy
[21] Physikalisches Institut, University of Bonn, Bonn, Germany
[22] Department of Physics, Boston University, Boston MA, United States of America
[23] Department of Physics, Brandeis University, Waltham MA, United States of America
[24] (a)Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro; (b)Federal University of Juiz de Fora (UFJF), Juiz de Fora; (c)Federal University of Sao Joao del Rei (UFSJ), Sao Joao del Rei; (d)Instituto de Fisica, Universidade de Sao Paulo, Sao Paulo, Brazil
[25] Physics Department, Brookhaven National Laboratory, Upton NY, United States of America
[26] (a)National Institute of Physics and Nuclear Engineering, Bucharest; (b)University Politehnica Bucharest, Bucharest; (c)West University in Timisoara, Timisoara, Romania
[27] Departamento de Física, Universidad de Buenos Aires, Buenos Aires, Argentina
[28] Cavendish Laboratory, University of Cambridge, Cambridge, United Kingdom
[29] Department of Physics, Carleton University, Ottawa ON, Canada
[30] CERN, Geneva, Switzerland
[31] Enrico Fermi Institute, University of Chicago, Chicago IL, United States of America
[32] (a)Departamento de Física, Pontificia Universidad Católica de Chile, Santiago; (b)Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso, Chile
[33] (a)Institute of High Energy Physics, Chinese Academy of Sciences, Beijing; (b)Department of Modern Physics, University of Science and Technology of China, Anhui; (c)Department of Physics, Nanjing University, Jiangsu; (d)School of Physics, Shandong University, Shandong; (e)Physics Department, Shanghai Jiao Tong University, Shanghai, China
[34] Laboratoire de Physique Corpusculaire, Clermont Université and Université Blaise Pascal and CNRS/IN2P3, Clermont-Ferrand, France
[35] Nevis Laboratory, Columbia University, Irvington NY, United States of America
[36] Niels Bohr Institute, University of Copenhagen, Kobenhavn, Denmark
[37] (a)INFN Gruppo Collegato di Cosenza; (b)Dipartimento di Fisica, Università della Calabria, Rende, Italy
[38] (a)AGH University of Science and Technology, Faculty of Physics and Applied Computer Science, Krakow; (b)Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow, Poland
[39] The Henryk Niewodniczanski Institute of Nuclear Physics, Polish Academy of Sciences, Krakow, Poland
[40] Physics Department, Southern Methodist University, Dallas TX, United States of America
[41] Physics Department, University of Texas at Dallas, Richardson TX, United States of America
[42] DESY, Hamburg and Zeuthen, Germany
[43] Institut für Experimentelle Physik IV, Technische Universität Dortmund, Dortmund, Germany
[44] Institut für Kern-und Teilchenphysik, Technical University Dresden, Dresden, Germany
[45] Department of Physics, Duke University, Durham NC, United States of America
[46] SUPA - School of Physics and Astronomy, University of Edinburgh, Edinburgh, United Kingdom
[47] INFN Laboratori Nazionali di Frascati, Frascati, Italy
[48] Fakultät für Mathematik und Physik, Albert-Ludwigs-Universität, Freiburg, Germany
[49] Section de Physique, Université de Genève, Geneva, Switzerland
[50] (a)INFN Sezione di Genova; (b)Dipartimento di Fisica, Università di Genova, Genova, Italy
[51] (a)E. Andronikashvili Institute of Physics, Iv. Javakhishvili Tbilisi State University, Tbilisi; (b)High Energy Physics Institute, Tbilisi State University, Tbilisi, Georgia
[52] II Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen, Germany
[53] SUPA - School of Physics and Astronomy, University of Glasgow, Glasgow, United Kingdom
[54] II Physikalisches Institut, Georg-August-Universität, Göttingen, Germany
[55] Laboratoire de Physique Subatomique et de Cosmologie, Université Joseph Fourier and CNRS/IN2P3 and Institut National Polytechnique de Grenoble, Grenoble, France
[56] Department of Physics, Hampton University, Hampton VA, United States of America
[57] Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge MA, United States of America
[58] (a)Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg; (b)Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg; (c)ZITI Institut für technische Informatik, Ruprecht-Karls-Universität Heidelberg, Mannheim, Germany
[59] Faculty of Applied Information Science, Hiroshima Institute of Technology, Hiroshima, Japan
[60] Department of Physics, Indiana University, Bloomington IN, United States of America

[61] Institut für Astro-und Teilchenphysik, Leopold-Franzens-Universität, Innsbruck, Austria
[62] University of Iowa, Iowa City IA, United States of America
[63] Department of Physics and Astronomy, Iowa State University, Ames IA, United States of America
[64] Joint Institute for Nuclear Research, JINR Dubna, Dubna, Russia
[65] KEK, High Energy Accelerator Research Organization, Tsukuba, Japan
[66] Graduate School of Science, Kobe University, Kobe, Japan
[67] Faculty of Science, Kyoto University, Kyoto, Japan
[68] Kyoto University of Education, Kyoto, Japan
[69] Department of Physics, Kyushu University, Fukuoka, Japan
[70] Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata, Argentina
[71] Physics Department, Lancaster University, Lancaster, United Kingdom
[72] (a)INFN Sezione di Lecce; (b)Dipartimento di Matematica e Fisica, Università del Salento, Lecce, Italy
[73] Oliver Lodge Laboratory, University of Liverpool, Liverpool, United Kingdom
[74] Department of Physics, Jožef Stefan Institute and University of Ljubljana, Ljubljana, Slovenia
[75] School of Physics and Astronomy, Queen Mary University of London, London, United Kingdom
[76] Department of Physics, Royal Holloway University of London, Surrey, United Kingdom
[77] Department of Physics and Astronomy, University College London, London, United Kingdom
[78] Laboratoire de Physique Nucléaire et de Hautes Energies, UPMC and Université Paris-Diderot and CNRS/IN2P3, Paris, France
[79] Fysiska institutionen, Lunds universitet, Lund, Sweden
[80] Departamento de Fisica Teorica C-15, Universidad Autonoma de Madrid, Madrid, Spain
[81] Institut für Physik, Universität Mainz, Mainz, Germany
[82] School of Physics and Astronomy, University of Manchester, Manchester, United Kingdom
[83] CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France
[84] Department of Physics, University of Massachusetts, Amherst MA, United States of America
[85] Department of Physics, McGill University, Montreal QC, Canada
[86] School of Physics, University of Melbourne, Victoria, Australia
[87] Department of Physics, The University of Michigan, Ann Arbor MI, United States of America
[88] Department of Physics and Astronomy, Michigan State University, East Lansing MI, United States of America
[89] (a)INFN Sezione di Milano; (b)Dipartimento di Fisica, Università di Milano, Milano, Italy
[90] B.I. Stepanov Institute of Physics, National Academy of Sciences of Belarus, Minsk, Republic of Belarus
[91] National Scientific and Educational Centre for Particle and High Energy Physics, Minsk, Republic of Belarus
[92] Department of Physics, Massachusetts Institute of Technology, Cambridge MA, United States of America
[93] Group of Particle Physics, University of Montreal, Montreal QC, Canada
[94] P.N. Lebedev Institute of Physics, Academy of Sciences, Moscow, Russia
[95] Institute for Theoretical and Experimental Physics (ITEP), Moscow, Russia
[96] Moscow Engineering and Physics Institute (MEPhI), Moscow, Russia
[97] D.V.Skobeltsyn Institute of Nuclear Physics, M.V.Lomonosov Moscow State University, Moscow, Russia
[98] Fakultät für Physik, Ludwig-Maximilians-Universität München, München, Germany
[99] Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München, Germany
[100] Nagasaki Institute of Applied Science, Nagasaki, Japan
[101] Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya, Japan
[102] (a)INFN Sezione di Napoli; (b)Dipartimento di Scienze Fisiche, Università di Napoli, Napoli, Italy
[103] Department of Physics and Astronomy, University of New Mexico, Albuquerque NM, United States of America
[104] Institute for Mathematics, Astrophysics and Particle Physics, Radboud University Nijmegen/Nikhef, Nijmegen, Netherlands
[105] Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam, Netherlands
[106] Department of Physics, Northern Illinois University, DeKalb IL, United States of America
[107] Budker Institute of Nuclear Physics, SB RAS, Novosibirsk, Russia
[108] Department of Physics, New York University, New York NY, United States of America
[109] Ohio State University, Columbus OH, United States of America
[110] Faculty of Science, Okayama University, Okayama, Japan
[111] Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman OK, United States of America
[112] Department of Physics, Oklahoma State University, Stillwater OK, United States of America
[113] Palacký University, RCPTM, Olomouc, Czech Republic

[114] Center for High Energy Physics, University of Oregon, Eugene OR, United States of America
[115] LAL, Université Paris-Sud and CNRS/IN2P3, Orsay, France
[116] Graduate School of Science, Osaka University, Osaka, Japan
[117] Department of Physics, University of Oslo, Oslo, Norway
[118] Department of Physics, Oxford University, Oxford, United Kingdom
[119] (a)INFN Sezione di Pavia; (b)Dipartimento di Fisica, Università di Pavia, Pavia, Italy
[120] Department of Physics, University of Pennsylvania, Philadelphia PA, United States of America
[121] Petersburg Nuclear Physics Institute, Gatchina, Russia
[122] (a)INFN Sezione di Pisa; (b)Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa, Italy
[123] Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh PA, United States of America
[124] (a)Laboratorio de Instrumentacao e Fisica Experimental de Particulas - LIP, Lisboa, Portugal; (b)Departamento de Fisica Teorica y del Cosmos and CAFPE, Universidad de Granada, Granada, Spain
[125] Institute of Physics, Academy of Sciences of the Czech Republic, Praha, Czech Republic
[126] Czech Technical University in Prague, Praha, Czech Republic
[127] Faculty of Mathematics and Physics, Charles University in Prague, Praha, Czech Republic
[128] State Research Center Institute for High Energy Physics, Protvino, Russia
[129] Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom
[130] Physics Department, University of Regina, Regina SK, Canada
[131] Ritsumeikan University, Kusatsu, Shiga, Japan
[132] (a)INFN Sezione di Roma I; (b)Dipartimento di Fisica, Università La Sapienza, Roma, Italy
[133] (a)INFN Sezione di Roma Tor Vergata; (b)Dipartimento di Fisica, Università di Roma Tor Vergata, Roma, Italy
[134] (a)INFN Sezione di Roma Tre; (b)Dipartimento di Matematica e Fisica, Università Roma Tre, Roma, Italy
[135] (a)Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies - Université Hassan II, Casablanca; (b)Centre National de l’Energie des Sciences Techniques Nucleaires, Rabat; (c)Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA-Marrakech; (d)Faculté des Sciences, Université Mohamed Premier and LPTPM, Oujda; (e)Faculté des sciences, Université Mohammed V-Agdal, Rabat, Morocco
[136] DSM/IRFU (Institut de Recherches sur les Lois Fondamentales de l’Univers), CEA Saclay (Commissariat à l’Energie Atomique et aux Energies Alternatives), Gif-sur-Yvette, France
[137] Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz CA, United States of America
[138] Department of Physics, University of Washington, Seattle WA, United States of America
[139] Department of Physics and Astronomy, University of Sheffield, Sheffield, United Kingdom
[140] Department of Physics, Shinshu University, Nagano, Japan
[141] Fachbereich Physik, Universität Siegen, Siegen, Germany
[142] Department of Physics, Simon Fraser University, Burnaby BC, Canada
[143] SLAC National Accelerator Laboratory, Stanford CA, United States of America
[144] (a)Faculty of Mathematics, Physics & Informatics, Comenius University, Bratislava; (b)Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice, Slovak Republic
[145] (a)Department of Physics, University of Johannesburg, Johannesburg; (b)School of Physics, University of the Witwatersrand, Johannesburg, South Africa
[146] (a)Department of Physics, Stockholm University; (b)The Oskar Klein Centre, Stockholm, Sweden
[147] Physics Department, Royal Institute of Technology, Stockholm, Sweden
[148] Departments of Physics & Astronomy and Chemistry, Stony Brook University, Stony Brook NY, United States of America
[149] Department of Physics and Astronomy, University of Sussex, Brighton, United Kingdom
[150] School of Physics, University of Sydney, Sydney, Australia
[151] Institute of Physics, Academia Sinica, Taipei, Taiwan
[152] Department of Physics, Technion: Israel Institute of Technology, Haifa, Israel
[153] Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv, Israel
[154] Department of Physics, Aristotle University of Thessaloniki, Thessaloniki, Greece
[155] International Center for Elementary Particle Physics and Department of Physics, The University of Tokyo, Tokyo, Japan
[156] Graduate School of Science and Technology, Tokyo Metropolitan University, Tokyo, Japan
[157] Department of Physics, Tokyo Institute of Technology, Tokyo, Japan
[158] Department of Physics, University of Toronto, Toronto ON, Canada
[159] (a)TRIUMF, Vancouver BC; (b)Department of Physics and Astronomy, York University, Toronto ON, Canada

[160] Faculty of Pure and Applied Sciences, University of Tsukuba, Tsukuba, Japan
[161] Department of Physics and Astronomy, Tufts University, Medford MA, United States of America
[162] Centro de Investigaciones, Universidad Antonio Narino, Bogota, Colombia
[163] Department of Physics and Astronomy, University of California Irvine, Irvine CA, United States of America
[164] (a)INFN Gruppo Collegato di Udine; (b)ICTP, Trieste; (c)Dipartimento di Chimica, Fisica e Ambiente, Università di Udine, Udine, Italy
[165] Department of Physics, University of Illinois, Urbana IL, United States of America
[166] Department of Physics and Astronomy, University of Uppsala, Uppsala, Sweden
[167] Instituto de Física Corpuscular (IFIC) and Departamento de Física Atómica, Molecular y Nuclear and Departamento de Ingeniería Electrónica and Instituto de Microelectrónica de Barcelona (IMB-CNM), University of Valencia and CSIC, Valencia, Spain
[168] Department of Physics, University of British Columbia, Vancouver BC, Canada
[169] Department of Physics and Astronomy, University of Victoria, Victoria BC, Canada
[170] Department of Physics, University of Warwick, Coventry, United Kingdom
[171] Waseda University, Tokyo, Japan
[172] Department of Particle Physics, The Weizmann Institute of Science, Rehovot, Israel
[173] Department of Physics, University of Wisconsin, Madison WI, United States of America
[174] Fakultät für Physik und Astronomie, Julius-Maximilians-Universität, Würzburg, Germany
[175] Fachbereich C Physik, Bergische Universität Wuppertal, Wuppertal, Germany
[176] Department of Physics, Yale University, New Haven CT, United States of America
[177] Yerevan Physics Institute, Yerevan, Armenia
[178] Centre de Calcul de l'Institut National de Physique Nucléaire et de Physique des Particules (IN2P3), Villeurbanne, France
[a] Also at Department of Physics, King's College London, London, United Kingdom
[b] Also at Laboratorio de Instrumentacao e Fisica Experimental de Particulas - LIP, Lisboa, Portugal
[c] Also at Faculdade de Ciencias and CFNUL, Universidade de Lisboa, Lisboa, Portugal
[d] Also at Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom
[e] Also at TRIUMF, Vancouver BC, Canada
[f] Also at Department of Physics, California State University, Fresno CA, United States of America
[g] Also at Novosibirsk State University, Novosibirsk, Russia
[h] Also at Department of Physics, University of Coimbra, Coimbra, Portugal
[i] Also at Università di Napoli Parthenope, Napoli, Italy
[j] Also at Institute of Particle Physics (IPP), Canada
[k] Also at Department of Physics, Middle East Technical University, Ankara, Turkey
[l] Also at Louisiana Tech University, Ruston LA, United States of America
[m] Also at Dep Fisica and CEFITEC of Faculdade de Ciencias e Tecnologia, Universidade Nova de Lisboa, Caparica, Portugal
[n] Also at Department of Physics and Astronomy, Michigan State University, East Lansing MI, United States of America
[o] Also at Department of Physics, University of Cape Town, Cape Town, South Africa
[p] Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan
[q] Also at Institut für Experimentalphysik, Universität Hamburg, Hamburg, Germany
[r] Also at Manhattan College, New York NY, United States of America
[s] Also at CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France
[t] Also at School of Physics and Engineering, Sun Yat-sen University, Guanzhou, China
[u] Also at Academia Sinica Grid Computing, Institute of Physics, Academia Sinica, Taipei, Taiwan
[v] Also at Laboratoire de Physique Nucléaire et de Hautes Energies, UPMC and Université Paris-Diderot and CNRS/IN2P3, Paris, France
[w] Also at School of Physical Sciences, National Institute of Science Education and Research, Bhubaneswar, India
[x] Also at Dipartimento di Fisica, Università La Sapienza, Roma, Italy
[y] Also at DSM/IRFU (Institut de Recherches sur les Lois Fondamentales de l'Univers), CEA Saclay (Commissariat à l'Energie Atomique et aux Energies Alternatives), Gif-sur-Yvette, France
[z] Also at Section de Physique, Université de Genève, Geneva, Switzerland
[aa] Also at Departamento de Fisica, Universidade de Minho, Braga, Portugal
[ab] Also at Department of Physics, The University of Texas at Austin, Austin TX, United States of America
[ac] Also at Department of Physics and Astronomy, University of South Carolina, Columbia SC, United States of America

[ad] Also at Institute for Particle and Nuclear Physics, Wigner Research Centre for Physics, Budapest, Hungary
[ae] Also at DESY, Hamburg and Zeuthen, Germany
[af] Also at International School for Advanced Studies (SISSA), Trieste, Italy
[ag] Also at LAL, Université Paris-Sud and CNRS/IN2P3, Orsay, France
[ah] Also at Faculty of Physics, M.V.Lomonosov Moscow State University, Moscow, Russia
[ai] Also at Nevis Laboratory, Columbia University, Irvington NY, United States of America
[aj] Also at Department of Physics, Oxford University, Oxford, United Kingdom
[ak] Also at Discipline of Physics, University of KwaZulu-Natal, Durban, South Africa
[*] Deceased